View NSN Online: https://aerobasegroup.com/nsn/6840-01-098-8895

ADVANCED STERILIZATION PRODUCTS A JOHNSON & JOHNSON CO. -- CIDEX OPA SOLUTION -- 6840-01-098-8895

Product ID:CIDEX OPA SOLUTION MSDS Date:10/25/1999 FSC:6840 NIIN:01-098-8895 Status Code:A **MSDS Number: CLJWD** === Responsible Party === Company Name: ADVANCED STERILIZATION PRODUCTS A JOHNSON & JOHNSON CO. Address:33 TECHNOLOGY DR City:IRVINE State:CA ZIP:92618-2346 Country:US Info Phone Num:800-755-5900/888-783-7723 Emergency Phone Num: (800) 424-9300 Resp. Party Other MSDS Num.:015 Chemtrec Ind/Phone:(800)424-9300 CAGE:04ES7 === Contractor Identification === Company Name: ADVANCED STERILIZATION PRODUCTS A JOHNSON & JOHNSON CO. Address:33 TECHNOLOGY DR Box:City:IRVINE State:CA ZIP:92618-2346 Country:US Phone:800-755-5900/888-783-7723 CAGE:04ES7

======= Composition/Information on Ingredients ==========

Ingred Name:ACTIVE INGREDIENT = Wt:.55

Ingre

d Name:INACTIVE INGREDIENTS = Wt:99.45

LD50 LC50 Mixture:LD50: ORAL, RAT: > 2000 MG/KG

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS: SKIN, EYES, RESPIRATORY TRACT. ACUTE: THE MOST LIKELY SYMPTOM OF ACUTE OVEREXPOSURE WOULD BE SLIGHT IRRITATION OF CONTAMINATED SKIN, OR EYE IRRITATION AFTER CONTACT WITH MISTS OF THIS PRODUCT. CHRONIC: PROLONGED OR REPEATE

D CONTACT WITH THE SKIN MAY LEAD TO DERMATITIS.

Explanation of Carcinogenicity:THIS PRODUCTS COMPONENTS ARE NOT FOUND ON THE FOLLOWING LISTS: US FEDERAL OSHA Z LIST, NTP, IARC, AND CAL/OSHA AND THEREFORE ARE NEITHER CONSIDERED TO BE NOR SUSPECTED TO BE CANCER-CAUSING AGENTS BY THESE AGENCIES.

Effects of Overexposure:THIS PRODUCT IS PREDOMINATELY WATER & PRESENTS MINIMAL HAZARDS. INHALATION-BREATHING MIST/SPRAY MAY MILDLY IRRITATE THE NOSE, THROAT & RESPIRATORY SYSTEM. SYMPT OMS INCLUDE

COUGHING & SNEEZING. CONTACT WITH SKIN/EYES-PERSONS WITH POTENTIAL EXPOSURE SHOULD NOT WEAR CONTACT LENSES. EYE CONTACT MAY CAUSE STINGING, EXCESS TEARING, & REDNESS. SKIN CONTACT MAY CAUSE STAINING & BE MILDLY IRRITATING. REP EATED SKIN CONTACT MAY CAUSE DERMATITIS (RED, CRACKED SKIN). INGESTION-INGESTION MAY IRRITATE THE TISSUE OF THE MOUTH, ESOPHAGUS DIGESTIVE SYSTEM. SYMPTOMS MAY INCLUDE VOMITING, DIARRHEA, & NAUSEA. INJECTION-PAIN, MILD IRRI

TATION, & SWELL

Medical Cond Aggravated by Exposure:PRE-EXISTING BRONCHITIS OR ASTHMA CONDITIONS CAN BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT. HEATING OF THE SOLUTION WILL INCREASE TIS POTENTIAL FOR IRRITATION.

First Aid:SKIN: S28: AFTER CONTACT WITH CIDEX OPA SOLUTION, WASH IMMEDIATELY WITH PLENTY OF WATER. IF A SKIN REACTION SHOULD OCCUR, SEEK MEDICAL ADVICE. EYE: S26: IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE IF IRRITATION OR DISCOMFORT PERSISTS. INHALATION: IF VAPORS OR MISTS OF THIS PRODICT ARE INHALED, REMOVE VICTIM TO FRESH AIR, AND SEEK MEDICAL ADVICE. ING ESTION: S46: IF SWALLOWED, SEEK MEDICAL ADVICE IMMEDIATELY AND SHOW PACKAGE OR LABEL. CALL PHYSICIAN OR YOUR LOCAL POISON CONTROL CENTER FOR MOST CURRENT INFORMATION.

Extinguishing Media:SELECT

FIRE EXTINGUISHING MEDIA APPROPRIATE FOR THE SURROUNDING AREA.

Fire Fighting Procedures: INCIPIENT FIRE RESPONDERS SHOULD WEAR EYE PROTECTION. STRUCTURAL FIREFIGHTERS MUST WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. MOVE FIRE-EXPOSED CONTAINERS IF IT CAN BE DONE WITHOUT RISK TO FIREFIGHTERS. SEE OTHER INFORMATION.

Unusual Fire/Explosion Hazard:MINIMAL RISK OF WATER EVAPORATIONG IN A FIRE CAUSING REMIANING MATERIAL TO BURN AND PRODUCE CARBON MONO XIDE

AND/OR CARBON DIOXIDE.

Spill Release Procedures:SMALL RELEASES CAN BE CLEANED UP USING A DAMP SPONGE OR POLYPAD. RESPONDERS SHOULD WEAR GLOVES, GOGGLES, & SUTIABLE BODY PROTECTION DURING THE CLEAN UP OF SPILL. IN CASE OF LARGE SPILL, CLEAR THE AFF ECTED AREA, RESPOND WITH TRAINED PERSONNEL & CONTAIN THE SPILL. MINIMUM PERSONAL PROTECTIVE EQUIPMENT SHOULD BE LEVEL D: (SAFETY GLASSES, GLOVES, APRON OR LAB

COAT). "SEE OTHER INFO"

Neutralizing Agent: APPROX 25 GRAMS OF GLYCINE (FREE BASE) POWDER PER GALLON OF ESTIMATED CIDEX OPA SOLUTION SPILL.

Handling and Storage Precautions:ALL EMPLOYEES WORKING WITH THIS PRODUCT MUST BE PROPERLY TRAINED. STORE CONTAINERS IN A COOL, DRY LOCATION (15-30C, 59-86F) AWAY FROM DIRECT SUNLIGHT, OR SOURCES OF INTENSE HEAT. STORE AWAY FROM INCOM PATIBLE MATERIALS. KEEP C ONTAINER TIGHTLY CLOSED WHEN NOT IN USE. Other Precautions:STORAGE- INSPECT ALL INCOMING CONTAINERS BEFORE STORAGE TO ENSURE CONTAINERS ARE PROPERLY LABELED AND NOT DAMAGED. EMPTY CONTAINERS MAY CONTAIN RESIDUAL AMOUNTS OF THIS PRODUCT AND MUST BE TRIPLE RINS ED PRIOR TO DISPOSAL.

======= Exposure Controls/Personal Protection ==========

- Respiratory Protection:NONE NORMALLY REQUIRED FOR ROUTINE USE. IF RESPIRATORY PROTECTION IS NEEDED, SUCH AS DURING USE OF THIS P
- RODUCT WITH OTHER MATERIALS, OR DURING EMERGENCY RESPOSINSE TO UNCONTROLLED RELEASES, USE ONLY P ROTECTION AUTHORIZED IN 29 CFR 1910.134.
- Ventilation:USE WITH ADEQUATE VENTILATION TO ENSURE EXPOSURE LEVELS ARE MAINTAINED BELOW THE LIMITS PROVIDED IN COMPOSITION AND INFORMATION ON INGREDIENTS.
- Protective Gloves:LATEX OR NITRILE RUBBER GLOVES. LATEX SHOULD BE CHANGED OFTEN.
- Eye Protection:SAFETY GLASSES.
- Other Protective Equipment: USE TRIPLE GLOVES FOR SPILL RESPONSE. USE BO
- DY PROTECTION APPROPRIATE FOR TASK (E.G. FLUID-RESISTANT GOWNS OR APRONS).
- Work Hygienic Practices: AS WITH ALL CHEMICALS, AVOID GETTING THIS PORDUCT ON YOU OR IN YOU. WASH THOROUGHLY AFTER HANDLING THIS PRODUCT. DO NOT EAT, DRINK, SMOKE, OR APPLY COSMETICS WHILE HANDLING THIS PRODUCT.
- Supplemental Safety and Health
- HYGIENE: AVOID BREATHING MISTS & SPRAYS OF THIS PRODUCT. USE IN A WELL-VENTILATED LOCATION. REMOVE CONTAMINATED CLOTHING IMMEDIATELY. *TRADE NAME: CIDEX OPA S
- OLUTION. CHEMICAL NAME/CLASS:
- ALDEHYDE & INORGANIC SALT SOLUTION. PRODUCT USE: HIGH LEVEL DISINFECTANT.

HCC:B3 Boiling Pt:=100.C, 212.F Melt/Freeze Pt:=0.C, 32.F Vapor Pres:NE Vapor Density:NE Spec Gravity:1.0003 G/CC pH:7.2 - 7.8 Viscosity:NE Evaporation Rate & amp; Reference:SIMILAR TO WATER Solubility in Water:SOLUBLE Appearance and Odor:CLEAR LIGHT BLUE LIQUID, PRACTICALLY ODORLESS.

====== Stability an

d Reactivity Data =================

Stability Indicator/Materials to Avoid:YES
MATERIALS THAT ARE INCOMPATIBLE WITH WATER. STRONG ACIDS AND STORNG OXIDIZERS. STRONGLY ALKALINE MATERIALS (>PH 10) WILL CATALYZE A REDOX REACTION, WHICH IS EXOTHERMIC, BUT IS NOT EXPECTED TO BE OFA VIOLENT NATURE.
Hazardous Decomposition Products:PRODUCTS OF THERMAL DECOMPOSITION INCLUDE CARBON OXIDES.
Conditions to Avoid Polymerization:AVOID EXPOSURE OR CONTACT TO EXTREME TEMPERATURES, INCOMPAT
IBLE CHEMICALS.

Toxicological Information:CIDEX OPA SOLUTION: EYE EXPOSURE (RABBIT)=SLIGHTLY IRRITATING, BUT REVERSIBLE IN SEVEN DAYS. LD50(SKIN, RABBIT)>2000 MG/KG. IRRITANCY OF PRODUCT: THIS PRODUCT MAY BE MILDLY IRRITATING TO CONTAMINATED TISSUE, ESPECIALLY AFTER PROLONGED OR REPEATED EXPOSURE. SENSITIZATION TO THE PRODUCT: O-PHTHALADEHYDE (A COMPONENT OF THIS PRODUCT PRESENT IN < 1% CONCENTRATION)

IS A POTENTIAL SKIN & RESPIRATORY SE NSITIZER. DUE TO THE LOW CNCENTRATION OF O-PHTHALADEHYDE (0.55%) IN THE PRODUCT, THIS HAZARD IS GREATELY MINIMIZED. RECOMMENDATIONS TO PHYSICIANS: PROBABLE MUCOSAL DAMAGE FROM ORAL EXPOSURE MAY CONTRA INDICATE THE USE OF GASTRIC LAVAGE.

Ecological:ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION. ENVIRONMENTAL STABILITY: THE COMPONENTS OF THIS PRODUCT WILL SLOWLY DECOMPOSE INTO INORGANIC & ORGANIC COMPOUNDS. THE FOLLW ING ENVIRONMENTAL DATA ARE AVAILABLE FOR THE COMPONENTS OF THIS PRODUCT: O-PHTHALADEHYDE: WATER

SOLUBILITY=53 G/L/20C.

Waste Disposal Methods:WASTE DISPOSAL MUST BE IN ACCORDANCE WITH APPROPRIATE U.S. FEDERAL, STATE, AND LOCAL REGULATIONS OR WITH REGULATIONS OF CANADA OR EC MEMBER STATES. IF PERMITTED FOR DISPOSAL TO THE SE WER BY LOCAL AND STATE AUTHORITIES, SPENT CIDEX OPA SOLUTION MAY BE PUT DOWN THE DRAIN. SEE PRODUCT INSERT FOR FURTHE R INFORMATION.

Transport Information: THIS MATERIAL IS NOT HAZARDOUS PER THE U.S. DEPARTMENT OF TRANSPORTATION (49 CFR 172.101). PROPER SHIPPING NAME: NOT APPLICABLE. HAZARD CLASS NUMBER AND DESCRIPTION: NOT APPLICABLE. UN IDENTIFICATION NUMBER: NOT APPLICABLE. PACKING GROUP: NOT APPL

ICABLE. DOT LABEL(S) REQUIRED: NOT APPLICABLE. NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER, 1998: NOT APPLICABLE. MARINE POLLUTANT: NO COMPON ENT OF THIS PRODUCT IS DESIGNATED AS A MARINE POLLUTANT, PER APPENDIX B TO 49 CFR 172.101. TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS: THIS MATERIAL IS NOT CONSIDERED AS DANGEROUS GOODS.

SARA Title III Information:U.S SARA REPORTING REQ UIREMENTS: THE

COMPONENTS OF THIS PRDUCT ARE NOT SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 302, 304, & 313 OF TITLE OF THE SUPERFUND AMENDMENTS & REAUTHORIZATION ACT. U.S SARA THRESHOLD PLANNING QUANTITY: NOT APPLICABLE. U.S. CERCLA REPORTABLE QUANTITY (RQ): NOT APPLICABLE. U.S.

Federal Regulatory Information:U.S. TSCA INVENTORY STATUS: THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. State Regulatory Information:CALIFORNIA SAFE DRINKING WATER AND TOXIC

ENFORCEMENT ACT (PROPOSITION 65): NO COMPONENT OF THIS PRODUCT IS ON THE CALIFORNIA PROPOSITION 65 LISTS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for

its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.