View NSN Online: https://aerobasegroup.com/nsn/9150-00-159-4472

QPL INC, FORMERLY OMNITECH INTERNATIONAL, INC. -- MIL-H-6083E AND AMD NR 2 HYDRAULIC FLUID, PETROLEUM BASE -- 9150-00-159-4472

============= Product Identification ========================

Product ID:MIL-H-6083E AND AMD NR 2 HYDRAULIC FLUID, PETROLEUM BASE

MSDS Date:05/01/2001

FSC:9150

NIIN:00-159-4472 Status Code:A

MSDS Number: CLKCM === Responsible Party ===

Company Name: QPL INC, FORMERLY OMNITECH INTERNATIONAL, INC.

Add

ress:800 N. ACADIA ROAD

City:THIBODAUX

State:LA ZIP:70301 Country:US

Info Phone Num:504-394-8440

Emergency Phone Num:504-39408440

CAGE:0AD61

=== Contractor Identification ===

Company Name: QPL INC, FORMERLY OMNITECH INTERNATIONAL, INC.

Address:800 N. ACADIA ROAD

Box:City:THIBODAUX

State:LA ZIP:70301 Country:US

Phone:504-394-8440

CAGE:0AD61

Company Name:SDB CONSULTANTS LTD Address:401 WHITNEY AVE SUITE 120

Box:City:GRETNA

State:LA ZIP:70056 Country:US

Phone: 504-366-9105

Contract Num:SP0450-01-M-LP

15 CAGE:0PGK2 ======= Composition/Information on Ingredients ======== Ingred Name: HAZARDOUS INGREDIENTS: NONE. ============= Hazards Identification ======================== LD50 LC50 Mixture:LD50: >5G/KG Health Hazards Acute and Chronic:EYE CONTACT: MAY CAUSE SLIGHT EYE IRRITATION IN SOME INDIVIDUALS. INGESTION: ORAL TOXICITY IS LOW. EFFECTS OF CHRONIC EXPOSURE: NONE KNOWN. Explanation of Carcinogenicity: THIS MATERIAL IS NOT LISTED BY THE EPA TO BE CARCINOGENI C OR A POSSIBLE CARCINOGEN; NEITHER IS IT LISTED ON THE NTP, NOR THE STATE OF CALIFORNIA PROPOSITION 65 LISTS. Effects of Overexposure: EYE CONTACT: MAY CAUSE SLIGHT EYE IRRITATION IN SOME INDIVIDUALS, INGESTION: ORAL TOXICITY IS LOW, EFFECTS OF CHRONIC EXPOSURE: NONE KNOWN. Medical Cond Aggravated by Exposure: NO DATA PROVIDED BY MANUFACTURER First Aid:EYES: FLUSH THOROUGHLY WITH WATER FOR 15 MINUTES. IF **IRRITA** TION DEVELOPS, CONSULT A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. Flash Point:=282.2C, 540.F Autoignition Temp:=448.9C, 840.F Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, WATER OR FOAM MAY CAUSE FROTHING. Fire Fighting Procedures: NO DATA PROVIDED BY MANUFACTURER

Fire Fighting Procedures: NO DATA PROVIDED BY MANUFACTURER
Unusual Fire/Explosion Hazard: SENSITIVITY TO IMPACT: NONE. HAZARDOUS
COMBUSTION PRODUCTS: CO, CO2.

======= Accidental Release Measures

 	 _	 	 	 _	_	_	 _	_	
 	 _	 	 	 _	-		 		•

Spill Release Procedures:DIKE SPILL TO PREVENT ENTRY INTO WATER SYSTEMS. MAJOR: IF TRANSPORTATION SPILL INVOLVED, CALL CHEMTREC (800)424-9300. LARGE QUANTITIES MAY BE PUMPED INTO SEALED CONTAINERS FOR DISPOSAL. MINOR: ABSORB THE PRODUCT WITH SAW DUST OR OTHER ABSORBENT SHOVEL INTOSUITABLE CONTAINERS FOR DISPOSAL. CLEAN FLOOR USING DETERGENT AND WATER.

Neutralizing Agent:NO DATA PROVIDED BY MANUFACTURER

 Handling	and	Storage	=====

Handling and Storage Precautions: KEEP CONTAINERS CLOSED TO PROTECT FROM CONTAMINATION. KEEP AWAY FROM SPARKS, ALL HEATING SOURCES. DO NOT INCINERATE. DO NOT PUNCTURE. USE STANDARD INDUSTRIAL PRACTICES, AFTER HANDLING WASH HANDS BEFOR E EATING OR SMOKING.

Other Precautions: NO DATA PROVIDED BY MANUFACTURER

===== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE REQUIRED

Ventilation: NO SPECIAL VENTIALTION IS REQUIRED.

Protecti

ve Gloves:VINYL, LATEX, NEOPRENE Eye Protection:SHOULD BE WORN

Other Protective Equipment: NONE. NO SPECIAL CLOTHING REQUIRED.

Work Hygienic Practices:AFTER HANDLING, WASH HANDS BEFORE EATING OR SMOKING.

Supplemental Safety and Health

NO DATA PROVIDED BY MANUFACTURER

======== Physical/Chemical Properties ==========

HCC:G3

Boiling Pt:=312.8C, 595.F

Appearance and Odor:PALE YELLOW VISCOUS LIQUID; CHARACTERISTIC ODOR.

Percent Volatiles by Volume:NIL

======= Stab

ility and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES KEEP FROM CONTACT WITH OXIDIZING MATERIALS Stability Condition to Avoid:KEEP FROM CONTACT WITH OXIDIZING MATERIALS Hazardous Decomposition Products:NONE
======== Toxicological Information ==========
Toxicological Information:NO DATA PROVIDED BY MANUFACTURER
======== Ecological Information ===========
Ecological:AQUATIC TOXICITY RATING: TLM96: >100 PPM.
===== ===============================
REGULATIONS.
========= MSDS Transport Information ===========
Transport Information:SPECIAL SHIPPING INFORMATION: NONE.
============= Regulatory Information =============
SARA Title III Information:NO DATA PROVIDED BY MANUFACTURER Federal Regulatory Information:NO DATA PROVIDED BY MANUFACTURER State Regulatory Inform ation:THIS MATERIAL IS NOT LISTED BY THE STATE OF CALIFORNIA PROPOSITION 65 LISTS.
============ Other Information ==============
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.