

HOME OIL CO -- ODORLESS MINERAL SPIRITS PAINT THINNER -- 8010-00-837-7969

=====  
Product Identification  
=====

Product ID:ODORLESS MINERAL SPIRITS PAINT THINNER

MSDS Date:08/31/1998

FSC:8010

NIIN:00-837-7969

Status Code:A

MSDS Number: CLKSC

=== Responsible Party ===

Company Name:HOME OIL CO

Address:3511 N OHIO

Box:2609

City:WICHITA

State:KS

ZIP:67201-2609

Country:US

Info Phone Num:316-838-4663

Emer

gency Phone Num:1-800-633-8253

Preparer's Name:RYAN MICKELSON

CAGE:0A9L8

=== Contractor Identification ===

Company Name:HOC INDUSTRIES, INC

Address:3511 N. OHIO

Box:2609

City:WICHITA

State:KS

ZIP:67219

Country:US

Phone:316-838-4663

CAGE:0A9L8

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MIXTURE OF C9-C11 ISOPARAFFINS

CAS:68551-16-6

Code:F

= Wt:100.

=====  
Hazards Identification  
=====

Reports of Carcinogenicity:NTP:NO IAR

C:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYES: MAY CAUSE IRRITATION, EXPERIENCED AS DISCOMFORT AND SEEN AS EXCESS REDNESS AND SWELLING OF THE EYE. SKIN: MAY BE MILDLY IRRITATING. RESPIRATORY SYSTEM: OVEREXPOSURE TO MIST OR VAPORS MAY CAUSE DIZZINESS, DROWSINESS, HEADACHE, NAUSEA. MASSIVE OVEREXPOSURE MAY CAUSE UNCONSCIOUSNESS. INGESTION: MAY IRRITATE STOMACH AND INTESTINES. IF SWALLOWED MAY BE ASPIRATED INTO LUNGS RESULTING IN PULMONARY EDEMA AND CHEMIC

AL

PNEUMONTITIS. CHRONIC: NO KNOWN APPLICABLE INFORMATION.

Explanation of Carcinogenicity:THIS PRODUCT IS NOT CURRENTLY LISTED AS A CARCINOGEN BY NTP, OSHA, OR IARC.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH EXPOSED AREA WITH SOAP AND WATER. IF IRRITATION DEVELOPS, SEEK MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMMITING. CALL DOCTOR IMMEDIATELY. INHALATION: REMOVE PERSON TO FRESH AIR. IF NOT BREATHING, GIVE MOUTH-TO-MOUTH ARTIFICIAL REPIRATION.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:=-40.6C, 105.F  
Lower Limits:1  
Upper Limits:3  
Extinguishing Media:DRY CHEMICAL, FOAM, OR CARBON DIOXIDE.  
Fire Fighting Procedures:EVACUATE ALL UNNECESSARY PERSONNEL, SHUT OFF SOURCE, IF POSSIBLE. WATER FOG OR SPRAY SHOULD BE USED TO KEEP FIRE-EXPOSED CONTAINERS AND EQUIPMENT COOL. DO NOT SPRAY WATER DIRECTLY ON FIRE. PRODUCT WILL FLOAT AND COULD BE REIGNITED ON SURFACE OF WATER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL IGNITION SOURCES INCLUDING INTERNAL COMBUSTION ENGINES AND POWER TOOLS. VENTILATE AREA. AVOID BREATHING VAPOR. USE ALLOWING PRODUCT FROM ENTERING STREAMS OR SEWERS.

=====  
===== Handling and Storage =====

Handling and Storage Prec

autions:TRANSPORT, HANDLE, AND STORE IN  
ACCORDANCE WITH 29 CFR (1910.106) AND APPLICABLE DOT REGULATIONS.  
GROUND AND ELECTRICALLY INTERCONNECT CONTAINERS FOR TRANSFER. USE  
SPARK FREE TOOLS.

Other Precautions:THIS PODUCT IS LISTED ON THE EPA/TSCA INVENTORY OF  
CHEMICAL SUBSTANCES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VAPOR, MIST OR DUST IS GENERATED IN EXCESS OF  
PERMISSIBLE CONCENTRATIONS USE RESPIRATOR APPROVED BY MSHA  
OR  
NIOSH.

Ventilation:LOCAL EXHAUST VENTILATION RECOMMENDED. EXPOSURE LIMIT IS  
400 PPM TWA ACGIH AND OSHA.

Protective Gloves:RESISTANT TO CHEMICALS AND PETROLEUM DISTILLATES  
REQUIRED.

Eye Protection:CHEMICAL TYPE GOGGLES MUST BE WORN. DO NOT WEAR CONTACT  
LENSES.

Other Protective Equipment:PROTECTIVE CLOTHING SUCH AS UNIFORMS SHOULD  
BE WORN.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:319-349 F

Vap

or Pres:6.5@100F

Vapor Density:>1

Spec Gravity:0.74@60F

Solubility in Water:NEGLEGIBLE

Appearance and Odor:COLORLESS, SLIGHT HYDROCARBON ODOR

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

SUDDEN CONTACT WITH HIGH CONCENTRATIONS OF OLEFINS,HCL,ETC.

Stability Condition to Avoid:NONE KNOWN

Hazardous Decomposition Products:NONE KNOWN

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR PLACE IN RCRA PERMITTED WASTE  
MANAGEMENT FACILITY.

=====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utiliz  
ing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.