

ALLIED ENTERPRISES, INC. -- TASK FORCE -- 6850-01-376-1202

===== Product Identification =====

Product ID:TASK FORCE

MSDS Date:02/01/2001

FSC:6850

NIIN:01-376-1202

Status Code:A

MSDS Number: CLKTB

=== Responsible Party ===

Company Name:ALLIED ENTERPRISES, INC.

Address:814 W. 45TH STREET

Box:6159

City:NORFOLK

State:VA

ZIP:23508-2008

Country:US

Info Phone Num:757-489-8282

Emergency Phone Num:800-535

-5053

CAGE:58396

=== Contractor Identification ===

Company Name:ALLIED ENTERPRISES, INC.

Address:814 W. 45TH STREET

Box:6159

City:NORFOLK

State:VA

ZIP:23508-2008

Country:US

Phone:757-489-8282

Contract Num:SP0450-01-M-ZG25

CAGE:58396

===== Composition/Information on Ingredients =====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: TO 100%

Ingred Name:GLYCOL ETHER

CAS:25498-49-1

RTECS #:UB8070000

Minumum % Wt:0.

Maxumum % Wt:5.

OSHA PEL:25 PPM

ACGIH TLV:25 PP

M

Ingred Name:POTASSIUM HYDROXIDE
CAS:1310-58-3
RTECS #:TT2100000
= Wt:2.5
ACGIH TLV:C 2 MG/M3
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:NONIONIC SURFACTANT
CAS:9016-45-9
RTECS #:AX0247000
Minumum % Wt:0.
Maxumum % Wt:5.

Ingred Name:SODIUM SILICATE
CAS:1344-09-8
Minumum % Wt:0.
Maxumum % Wt:5.

Ingred Name:DYE
< Wt:.01

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO
IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN: IRRITANT. MAY CAUSE MODERATE REDDENING AND SWELLING. EYES: IRRITANT. LIQUID AND MISTS MAY DAMAGE EYES CAUSING CORNEAL DAMAGE. INHALATION: VAPORS AND MISTS MAY BE IRRITATING TO MUCOUS MEMBRANES I N THE NOSE, THROAT, AND LUNGS. INGESTION: IRRITATING, AND CORROSIVE TO THE MOUTH AND THROAT. MAY CAUSE HEADACHE, NAUSEA, ABDOMINAL PAIN, VOMITING, AND DIARRHEA. EXCESSIVE AMOUNTS MAY CAUSE COLLAPSE.

Explanation of Carcinog
enicity:NONE OF THE INGREDIENTS IN THIS PRODUCT
IS LISTED AS A CARCINOGEN.

Effects of Overexposure:SKIN: IRRITATION, MODERATE REDDENING, AND SWELLING. EYES: IRRITATION, EYE DAMAGE, CORNEAL DAMAGE. INHALATION: VAPORS AND MISTS MAY BE IRRITATING TO MUCOUS MEMBRANES IN THE NOSE, THROAT AND LUNGS. INGE STION: IRRITATION, AND CORROSIVE TO THE MOUTH AND THROAT. MAY CAUSE HEADACHE, NAUSEA, ABDOMINAL PAIN, VOMITING, AND DIARRHEA. EXCESSIVE AMOUNTS MAY CAUSE COLLAPSE.

=====

===== First Aid Measures =====

First Aid:SKIN: FLUSH WITH WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. EYES: FLUSH WITH LARGE QUANTITIES OF WATER, HOLDING EYELIDS OPEN. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: GET TO FRESH AIR. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. DRINK LARGE QUANTITIES OF WATER. SEEK MEDICAL ATTENTION IMMEDIATELY.

===== Fire Fighting Measure

S =====

Fire Fighting Procedures:NON FLAMMABLE.

===== Accidental Release Measures =====

Spill Release Procedures:MOP UP OR OTHERWISE ABSORB AND HOLD FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. KEEP OUT OF REACH OF CHILDREN. FOR USE BY TRAINED PERSONNEL ONLY. KEEP CONTAINER CLOSED DURING STORAGE. FOR INSTITUTIONAL AND INDUSTRIAL USE ONLY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE IN WELL VENTILATED AREA.
Ventilation:PROVIDE LOCAL EXHAUST TO KEEP TLV BELOW ACCEPTABLE LIMIT.
Protective Gloves:CHEMICAL RESISTANT RUBBER OR NEOPRENE.
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:EYEWASH STATION, CHEMICAL RESISTANT APRON.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:B1
Boiling Pt:=98.9C,

210.F

Vapor Pres:20 MM HG @ 68F

Vapor Density:>1(AIR=1)

Spec Gravity:1.042

pH:13.0-13.5

Evaporation Rate & Reference: