View NSN Online: https://aerobasegroup.com/nsn/8030-00-142-9128

GE SILICONES -- RTV8111 RM/TEMP. SILICONE RUBBER -- 8030-00-142-9128

Product ID:RTV8111 RM/TEMP. SILICONE RUBBER

MSDS Date:06/10/1998

FSC:8030

NIIN:00-142-9128

Status Code:A

MSDS Number: CLKTT

=== Responsible Party ===

Company Name: GE SILICONES

Address: 260 HUDSON RIVER ROAD

City:WATERFORD

State:NY ZIP:12188 Country:US

Info Phone Num:518-237-3330

Emergency Phone Num:800-424-9300

Preparer's Name: RYAN MICKELSON

CAGE:01139

=== Contractor Identification ===

Company Name: GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address: 260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY ZIP:12188 Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

======= Composition/Information on Ingredients ========

Ingred Name: ETHYL SILICATE 40

CAS:11099-06-2 Minumum % Wt:1. Maxumum % Wt:5.

Ingred Name: CALCIUM CARBONATE

CAS:471-34-1

RTECS #:FF9335000

Minumum % W



Ingred Name:DIMETHYL POLYSILOXANE CAS:70131-67-8
Code:F
Minumum % Wt:60.
Maxumum % Wt:80.

========== Hazards Identification ================

Health Hazards Acute and Chronic:INGESTION: MAY BE HARMFUL IF SWALLOWED. SKIN CONTACT: MAY CAUSE MILD SKIN IRRITATION. INHALATION: APPLIES ONLY IN UNCURED STATE. MAY CAUSE MILD RESPIRATORY IRRITATION. EYE CONTACT: MAY IRRITATE EYES.S UBCHRONIC EFFECTS: RESPIRATORY AILMENTS. LIVER AND KIDNEY DAMAGE.

THIS

PRODUCT CONTAINS METHYLPOLYSILOXANES WHICH CAN GENERATE FORMALDEHYDE AT APPROXIMATELY 300 DEGREES FARENHEIT AND ABOVE, IN ATMOSPH ERES WHICH CONTAIN OXYGEN. FORMALDEHYDE IS A SKIN AND RESPIRATORY SENSITIZER, EYE AND THROAT IRRITANT, ACUTE TOXICANT, AND POTENTIAL CANCER HAZARD. AN MSDS FR FORMALDEHYDE IS AVAILABLE FROM GE SILICON ES.

Explanation of Carcinogenicity:THIS PRODUCT OR ONE OF ITS INGREDIENTS PRESENT 0.1% OR MORE IS NOT LISTED AS A CARCINOGEN OR SUSPECT ED

CARCINOGEN BY NTP, IARC, OR OSHA.
Medical Cond Aggravated by Exposure:NONE KNOWN

First Aid:INGESTION: DO NOT INDUCE VOMITING. SLOWLY DILUTE WITH 1-2 GLASSES OF WATER OF MILK AND SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. SKIN: TO CLEAN FROM SKIN, REM OVE COMPLETELY WITH A DRY CLOTH OR PAPER TOWEL, BEFORE WASHING WITH DETERGENT AND WATER. GET MEDICAL ATTENTION IF

IRRITATION PERSISTS. INHALATION: NONE KNOWN. EYES: IN CASE OF CONTACT, IMMEDIATE LY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION IF IRRITATION PERSISTS. NOTE TO PHYSICIAN: NONE KNOWN

========= Fire Fighting Measures ===============

Flash Point Method:COC
Flash Point:=148.3C, 299.F
Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA
Fire Fighting Procedures:NONE KNOWN.
Unusual Fire/Explosion Hazard:SENSITIVITY TO STA

TIC DISCHARGE IN NOT EXPECTED.
========= Accidental Release Measures ==========
Spill Release Procedures:WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL. WASH WALKING SURFACES WITH DETERGENT AND WATER TO REDUCE SLIPPING HAZARD. WEAR PROPER PROTECTIVE EQUIPMENT AS SPECIF IED IN THE PROTECTIVE EQUIPMENT SECTION.
============ Handling and Storage =============
Handling and Storage Precautions:USE ONLY IN A WELL VENTILATED AREA. CAUTION AVOID CONTACT WITH EYES.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE IN WELL VENTILATED AREA Ventilation:USE ONLY IN WELL VENTILATED AREA Protective Gloves:CLOTH GLOVES Eye Protection:SAFETY GLASSES Other Protective Equipment:NONE KNOWN Supplemental Safety and Health
========= Physical/Chemical Properties ==========
Vapor Density:855

Spec Gravity:0.8
Evaporation Rate & Evaporation Rat