EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS -- 847 1484, PT B, KODAK EKTACOLOR RA BLEACH FIX (SEE SUPPL) -- 6750-01-319-5407

Product ID:847 1484, PT B, KODAK EKTACOLOR RA BLEACH FIX (SEE SUPPL)

MSDS Date:05/01/2000

FSC:6750

NIIN:01-319-5407

Status Code:A

Kit Part:Y

MSDS Number: CLKWL === Responsible Party ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST City:ROCHESTER

State:NY ZIP:14650-11

15

Country:US

Info Phone Num:716-722-5151/(800) 242-2424

Emergency Phone Num:716 722-5151 Preparer's Name: NOT PROVIDED

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424 Contract Num:SP0500-96-D-9413N375

CAGE:19139

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424 Contract Num:SP0500-96-D-9413N385

CAGE:19139

======= Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Minumum % Wt:70.

Maxumum % Wt:75.

Code:F Code:F

Ingred Name: AMMONIUM FERRIC ETHYLENEDIAMINETETRAACETIC ACID

CAS:21265-50-9 Minumum % Wt:20. Maxumum % Wt:25.

Other REC Limits: NOT PROVIDED

OSHA PEL:NOT PROVIDED

inumum % Wt:1.

Maxumum % Wt:5.

Other REC Limits:NOT PROVIDED

OSHA PEL:25 MG/M3;10 PPM

ACGIH TLV:25 MG/M3;10 PPM

ACGIH STEL:37 MG/M3;15 PPM

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

========== Hazards Identification ================

LD50 LC50 Mixture: NOT PROVIDED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: EFFECTS OF EXPOSURE: GENERAL:

CONTAINS: AMMONIUM FERRIC ETHYLENEDIAMINETETRAACETIC ACID. THIS COMPOUND CAN CHELATE METALS A

ND MAY ALTER CALCIUM AND OTHER CATION

BALANCES. INHALATION: LOW HAZARD FOR US UAL INDUSTRIAL HANDLING BY TRAINED PERSONNEL. EYES: NO SPECIFIC HAZARD KNOWN. MAY CAUSE TRANSIENT IRRITATION. SKIN: LOW HAZARD FOR USUAL INDUSTRIAL HANDLING BY TRAINED PERSONNEL. INGESTION: EXPECTED T O BE A LOW INGESTION HAZARD.

Explanation of Carcinogenicity:CARCINOGENICITY CLASSIFICATION (COMPONENTS PRESENT AT 0.1% OR MORE): - INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC): NONE - AME

RICAN CONFERENCE OF

GOVERNMENTAL INDUSTRIAL HYGIENISTS (ACGIH): NON E - NATIONAL TOXICOLOGY PROGRAM (NTP): NONE - OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA): NONE

Effects of Overexposure:EYES: MAY CAUSE TRANSIENT IRRITATION. Medical Cond Aggravated by Exposure:NOT PROVIDED

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. TREAT SYMPTOMATICALLY. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: ANY MATERIAL THAT CONTACTS THE EYE SHOULD BE WASHED OUT IMMEDIATELY WITH WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN: WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. WASH CONTAMINATED CLOTHING BEFORE REUSE. DESTROY OR THOROUGHLY CLEAN CONTAMINATED SHOE S. INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

========== Fire Fighting Measures ===========

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE (CO2), DRY CHEMICAL, ALCOHOL FOAM.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS.

Unusual Fire/Explosion Hazard:NONE

	Accidental	Release	Measures	===========
--	------------	---------	----------	-------------

Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNT OF WATER. OTHERWISE, ABSORB SPILL WITH VERMICULITE OR OTHE R INERT MATERIAL.

THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL C ONTAMINATION.

Neutralizing Agent: NOT PROVIDED

======================================	Hand	lling and	l Storage	
--	------	-----------	-----------	--

Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. KEEP AWAY FROM INCOMPATIBLE SUBSTANCES. KEEP FROM CONTACT WITH OXIDIZING MATERIALS.

Other Precautions: AVOID BREATHING VAPOR AT CONCENTRATIONS GREATER THAN THE EXPOSURE LIMITS. AVOID CONTACT

WITH EYES AND PROLONGED OR

REPEATED CONTACT WITH SKIN. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HAND LING.

====== Exp	osure Controls	/Personal Prote	ction ========
------------	----------------	-----------------	----------------

Respiratory Protection:IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTRATIONS BELOW RECOMMENDED EXPOSURE LIMITS, AN APPROVED RESPIRATOR MUST BE WORN. RESPIRATOR: FULL-FACE ORGANIC VAPOR CARTRIDGE. A RESPIRATOR SHO ULD BE WORN IF HAZARDOUS DECOMPOSITION PRODUCTS ARE LIKELY TO B

E OR HAVE BEEN RELEASED. RESPIRATOR: ACID
GAS. ASSURE COMPLIANCE W/OSHA STANDARD 29 CFR 1910.134

Ventilation: USE PROCESS ENCLOSURES, LOCAL EXHAUST VENTILATION, OR OTHER ENGINEERING CONTROLS TO MAINTAIN AIRBORNE LEVELS BELOW RECOMMENDED EXPOSURE LIMITS.

Protective Gloves:FOR PROLONGED OR REPEATED SKIN CONTACT, IMPERVIOUS GLOVES SHOULD BE WORN.

Eye Protection:WEAR SAFETY GLASSES WITH SIDE SHIELDS (OR GOGGLES). Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER.

Work Hygienic Practices:IT IS A GOOD INDUSTRIAL HYGIENE PRACTICE TO MINIMIZE EYE CONTACT. IT IS A GOOD INDUSTRIAL HYGIENE PRACTICE TO MINIMIZE SKIN CONTACT.

Supplemental Safety and Health

CONTD FROM PRODUCT ID: AND REPLENISHER. THIS IS A KIT. THE OTHER MSDS SERIAL NUMBER: CLKYF.

======== Physical/Chemical Properties ===========

HCC:N1

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:>100.C, 212.F

Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED

Decomp Temp:Decomp Text:NOT PRO

VIDED

Vapor Pres:68F: 24MBAR (18 MM HG)

Vapor Density:0.6 Spec Gravity:1.10

pH:5.6

Viscosity:NOT PROVIDED

Evaporation Rate & Reference: NOT PROVIDED

Solubility in Water: COMPLETE

Appearance and Odor:REDDISH-BROWN LIQUID. SLIGHT AMMONIA ODOR.

Percent Volatiles by Volume:70-75 WT Corrosion Rate:NOT PROVIDED

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, BASES, SODIUM HYPOCHLORITE (BLEACH).


Stability Condit

ion to Avoid:NOT PROVIDED

Hazardous Decomposition Products: AMMONIA, CHLORAMINE, CARBON DIOXIDE, CARBON MONOXIDE, OXIDES OF NITROGEN

======== Toxicological Information ===========

Toxicological Information:EFFECTS OF EXPOSURE: GENERAL: CONTAINS:
AMMONIUM FERRIC ETHYLENEDIAMINETETRAACETIC ACID. THIS COMPOUND CAN
CHELATE METALS AND MAY ALTER CALCIUM AND OTHER CATION BALANCES.
INHALATION: LOW HAZARD FOR US UAL INDUSTRIAL HANDLING BY TRAINED
PERSONNEL. EYES:



its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.