

EASTMAN KODAK COMPANY -- 191 9042, PT C, KODAK FLEXICOLOR DEVELOPER (SEE SUPPL) --  
6750-01-010-7343

===== Product Identification =====

Product ID:191 9042, PT C, KODAK FLEXICOLOR DEVELOPER (SEE SUPPL)

MSDS Date:01/08/2001

FSC:6750

NIIN:01-010-7343

Status Code:A

Kit Part:Y

MSDS Number: CLLFB

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:

NY

ZIP:14650

Country:US

Info Phone Num:716-477-3194 MSDS :800- 242-2424

Emergency Phone Num:716-722-5151

Preparer's Name:NOT PROVIDED

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

Contract Num:SP0500-96-D-9413-N525

CAGE:19139

===== Composition/Information on Ingredients =====

Ingred Name:WATER

CAS:7732-18-5

RTEC

S #:ZC0110000  
Minumum % Wt:55.  
Maxumum % Wt:60.  
Other REC Limits:NOT PROVIDED  
Code:F  
Code:F

Ingred Name:4-(N-ETHYL-N-2-HYDROXYETHYL)-2-METHYLPHENYLENEDIAMINE  
SULFATE  
CAS:25646-77-9  
RTECS #:KJ6477000  
Minumum % Wt:35.  
Maxumum % Wt:40.  
Other REC Limits:0.1 MG/M3 (MFR)  
OSHA PEL:NOT PROVIDED  
ACGIH TLV:NOT PROVIDED

Ingred Name:SODIUM BISULFITE  
CAS:7631-90-5  
RTECS #:VZ2000000  
Minumum % Wt:1.  
Maxumum % Wt:5.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:NOT PROVIDED  
ACGIH TLV:5 MG/M3  
EPA Rpt Qty:5000 LB  
S  
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:GENERAL: CONTAINS  
4-(N-ETHYL-N-2HYDROXYETHYL)-2-METHYLPHENYLENEDIAMINE SULFATE. MAY  
CAUSE KIDNEY DAMAGE BASED ON ANIMAL DATA. INHALATION: LIBERATES  
SULFUR DIOXIDE GAS WHICH CAN CAUSE IRRITATION TO THE RESPIRATORY  
TRACT. SOME ASTHMATICS OR HYPERSENSITIVE INDIVIDUALS MAY EX  
PERIENCE  
DIFFICULT BREATHING. EYES: CAUSES IRRITATION. VAPOR IRRITATING.  
SKIN: CAUSES IRRITATION. MAY CAUSE ALLERGIC SKIN REACTI ON.  
INGESTION: MAY BE FATAL IF SWALLOWED. MAY CAUSE IRRITATION OF THE  
GASTROINTESTINAL TRACT. MAY CAUSE KIDNEY DAMAGE BASED ON ANIMAL  
DATA.  
Explanation of Carcinogenicity:INTERNATIONAL AGENCY FOR RESEARCH ON  
CANCER (IARC): NONE AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL  
HYGIENISTS (ACGIH): SODIUM BISULFITE, A4; NOT CLASSIFIABLE AS A

HUMAN CARCINOGEN, SULFUR DIOXIDE , A4; NOT CLASSIFIABLE AS A HUMAN CARCINOGEN. - NATIONAL TOXICOLOGY PROGRAM (NTP): NONE - OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA): NONE

Effects of Overexposure:INHALATION: LIBERATES SULFUR DIOXIDE GAS WHICH CAN CAUSE IRRITATION TO THE RESPIRATORY TRACT. EYES: CAUSES IRRITATION. VAPOR IRRITATING. SKIN: CAUSES IRRITATION. INGESTION: MAY CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT.

Medical Cond Aggravated by Exposure:SOME ASTHMATICS, HYPERSENSITIVE OR

SULFITE-SENSITIVE INDIVIDUALS MAY EXPERIENCE DIFFICULT BREATHING, WHEEZING, CHEST TIGHTNESS, STOMACH UPSET, HIVES, FAINTNESS, WEAKNESS AND DIARRHEA.

=====  
===== First Aid Measures =====

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MIN. GET MEDICAL ATTENTION. IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION: INDUCE VOMITING AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, ALCOHOL FOAM. USE WATER SPRAY TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS.

Unusual Fire/Explosion Hazard:ELEVATED TEMPERATURES CAN CAUSE DECOMPOSITION.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH TO SEWER IF ALLOWABLE WITH LARGE AMOUNT OF WATER. OTHERWISE, ABSORB SPILL WITH VERMICULITE OR OTHER INERT MATERIAL, THEN PLACE IN A

CONTAINER FOR CHEMICAL WASTE. CLEAN  
SURFACE TO REMOVE RESIDUAL CONTAMINATION.  
Neutralizing Agent:NOT PROVIDED

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN A COOL PLACE. KEEP AWAY FROM  
INCOMPATIBLE SUBSTANCES. KEEP CONTAINER CLOSED.

Other Precautions:AVOID BREATHING MIST OR VAPOR. AVOID CONTACT WITH  
EYES AND PROLONGED OR REPEATED CONTACT WITH SKIN. USE WITH ADEQUATE  
VENTILATION. WASH THOROUGHLY AFTER HANDLING.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE  
CONCENTRATIONS BELOW RECOMMENDED EXPOSURE LIMITS, AN APPROVED  
RESPIRATOR MUST BE WORN. RESPIRATOR TYPE: ACID GAS.

Ventilation:GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES

Protective Gloves:WEAR IMPERVIOUS GLOVES.

Eye Protection:WEAR SAFETY GLASSES WITH SIDE SHIELDS (OR GOGGLES).

Other Protective Equipment:EYE BATH, SAFETY SHOWER, WASHING FACILIT  
IES.

WEAR PROTECTIVE CLOTHING APPROPRIATE

Work Hygienic Practices:NOT PROVIDED

Supplemental Safety and Health

CONTD FROM PRODUCT ID: REPLENISHER. THIS IS A KIT. THE OTHER MSDS  
SERIAL NUMBERS ARE: CLLDN,CLLDW. ABBREVIATION: N/A = NOT  
APPLICABLE. N/AV = NOT AVAILABLE. N/K = UNKNOWN. N/P = NOT  
PROVIDED. N/R = NOT RELEVANT. N/D = NOT DETERMINED. N/E = NOT  
ESTABLISHED.

=====  
Physical/Chemical Properties  
=====

HCC:C2

NRC/State Lic Num:NOT RELEVANT

B

Boiling Pt:>100.C, 212.F

Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED

Decomp Temp:>172.2C, 342.F

Vapor Pres:18MM @ 20C

Vapor Density:0.6

Spec Gravity:1.15

pH:2.1

Viscosity:NOT PROVIDED

Evaporation Rate & Reference:NOT PROVIDED

Solubility in Water:COMPLETE

Appearance and Odor:RED-BROWN LIQUID; STRONG SULFUR DIOXIDE ODOR.

Percent Volatiles by Volume:55-60 WT

Corrosion Rate:NOT PROVIDED

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

S

TRONG BASES, STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:STABLE; HOWEVER, MATERIAL CAN DECOMPOSE ABOVE 170C. AVOID TEMPERATURES ABOVE 70C.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF SULFUR, OXIDES OF NITROGEN.

===== Toxicological Information =====

Toxicological Information:CONTAINS

4-(N-ETHYL-N-2-HYDROXYETHYL)-2-METHYLPHENYLENEDIAMINE SULFATE.  
MAY CAUSE KIDNEY DAMAGE BASED ON ANIMAL DATA. ORAL LD-50

(MALE

RAT): 25-50 MG/KG (TARGET ORGAN EFFECTS: KIDNEY) ORAL LD-50

(FEMALE RAT): 30 MG/KG (TARGET ORGAN EFFECTS: KIDNEY) ORAL

LD-50 (MOUSE): 141 MG/KG (TARGET ORGAN EFFECTS: KIDNEY) DERMAL

LD-50: > 2000 MG/KG SKIN IRRITATION: MODERATE

===== Ecological Information =====

Ecological:THE FOLLOWING PROPERTIES ARE ESTIMATED FROM THE COMPONENTS

OF THE PREPARATIONS. POTENTIAL TOXICITY: FISH LC50 MG/L: 70%): YES (7 DAYS).  
POTENTIAL

BIOACCUMULATION: LOG POW 100.

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LAWS. FLUSH TO SEWER WITH LARGE AMOUNT OF WATER.

===== MSDS Transport Information =====

Transport Information:FOR TRANSPORTATION INFORMATION REGARDING THIS PRODUCT CALL THE KODAK WORLDWIDE TRANSPORTATION HAZMAT HOT LINE: (716) 722-2400 BETWEEN 8 A.M. AND 5 P.M. (EASTERN STANDARD TIME), MONDAY THROUGH FRIDAY .

===== Regulatory Information =====

SARA Title III Information:CHEMICAL(S) SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OR TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) OF 1986 AND 40 CFR PART 372: NONE

Federal Regulatory Information:NOT PROVIDED

State Regulatory Information:MATERIAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER: NONE -

MATERIAL(S) KNOWN TO THE STATE  
OF CALIFORNIA TO CAUSE ADVERSE REPRODUCTIVE EFFECTS: NONE

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utiliz  
ing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.