

LOCTITE CORPORATION -- ACTIVATOR 7075

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 01-452-8356
MSDS Date: 01/26/1999
MSDS Num: CLLLQ
Product ID: ACTIVATOR 7075
MFN: 01
Responsible Party
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-
3910
Info Phone Number: 860-571-5100
Emergency Phone Number: 860-571-5465
Preparer's Name: ERNEST CARTER
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100

=====
Item Description Information
=====

=====
Ingredients
=====

Cas: 67-64-1
RTECS #: AL3150000
Name: ACETONE
% low Wt: 85.
% high Wt: 90.
OSHA PEL: 2400 MG/M3;1000 PPM
ACGIH TLV: 1780 MG/M3;750 PPM
ACGIH STEL: 2380 MG/M3;1000 PPM
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Cas: 9003-37-6
Name: BUTANAL-ANILINE CONDENSATE
% low Wt: 15.
% high Wt: 20.
=====

=====
Health Hazards Data
=====

Signs And Symptoms Of Overexposure: VAPORS IRRITATE EYES, NOSE AND THROAT.
LIQUID IS AN EYE IRRITANT AND MAY IRRITATE SKIN.

First Aid: INGESTION: GIVE WATER TO DILUTE. DO NOT INDUCE VOMITING. KEEP
INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. IF
SYMPTOMS PERSIST, OBTAIN MEDICAL ATTENTION. SKIN CONTACT: WASH WITH SOAP
AND WATER. EYE CONTACT: FLUSH WITH
WATER FOR AT LEAST 15 MINUTES. OBTAIN
MEDICAL ATTENTION.

=====
Handling and Disposal
=====

Spill Release Procedures: AVOID FLAME AND SPARKS. MAINTAIN ADEQUATE
VENTILATION. SOAK UP IN AN INERT ABSORBENT AND STORE IN A CLOSED CONTAINER
UNTIL DISPOSAL.

Waste Disposal Methods: INCINERATE FOLLOWING EPA AND LOCAL REGULATIONS.
D001/F003-HAZARDOUS WASTE PER 40CFR 261.21 AND 261.31/ACETONE.

Handling And Storage Precautions: STORE AWAY FROM FLAME AND SPARKS. STORE BELOW
100 F. AVOID PROLONGED BREATHING OF FUMES. AVOID SKIN OR EYE CONTACT.

Other Precautions: NONE

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point: -17.6C, 0.F

Lower Limits: 2.6%

Upper Limits: 13%

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures: NONE

Unusual

Fire/Explosion Hazard: NONE

=====
Control Measures
=====

Respiratory Protection: NONE

Ventilation: SUFFICIENT TO MAINTAIN VAPOR CONCENTRATION BELOW TLV.

Protective Gloves: RUBBER OR PLASTIC GLOVES.

Eye Protection: SAFETY GLASSES OR GOGGLES.

Other Protective Equipment: NONE

Work Hygienic Practices: NONE

Supplemental Safety and Health: NONE
=====

=

Physical/Chemical Properties

=====
Boiling Point: =57.2C, 135.F
Vapor Pres: 180MM AT 68 F
Vapor Density: 2
Spec Gravity: 0.8152
PH: DOES NOT APPLY
VOC Grams/Liter: 684
Evaporation Rate & Reference: (ETHER=1) 1.9
Solubility in Water: SOLUBLE WITH SOME OIL.
Appearance and Odor: BROWN LIQUID ACETONE
=====

Reactivity Data

=====
Stability Indica
tor: YES
Stability Condition To Avoid: NONE
Materials To Avoid: STRONG OXIDIZERS.
Hazardous Decomposition Products: IRRITATING ORGANIC VAPORS.
Hazardous Polymerization Indicator: YES
Conditions To Avoid Polymerization: WILL NOT OCCUR.
=====

Regulatory Information

=====
State Regulatory Information: CA PROPOSITION 65: THIS PRODUCT DOES NOT CONTAIN
ANY CALIFORNIA PROPOSITION 65 CHEMICALS.
=====

Other Information

=====
Other Information: ESTIMATED NFPA (R) CODE: HEALTH HAZARD:2 FIRE HAZARD:3
REACTIVITY HAZARD: DOES NOT APPLY ESTIMATED (R) CODE: HEALTH HAZARD:2
FLAMMABILITY HAZARD:3 PERSONAL PROTECTION: SEE SECTION 8. NF PA IS A
REGISTERED TRADEMARK OF THE NATIONAL FIRE PROTECTION ASSN. IS A
REGISTERED TRADEMARK OF THE NATIONAL PAINT AND COATINGS ASSN.
=====

HAZCOM Label

=====
Product ID: ACTIVATOR 7075
Cage: 05972
Company Name: LOCTITE CORPORATION
Street: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT
Zipcode: 06067-3910
Health Emergency Phone: 860-571-5465
Label Required IND: Y
Date Of Label Review: 09/10/2001
Status Code: A
Origination Code: G
=====

Disclaimer (provided with this information by the compiling age

ncies): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruc

tion who is not a military or civilian employee of the

United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.