View NSN Online: https://aerobasegroup.com/nsn/8040-00-180-6200

ARMSTRONG PRODUCTS DIVISION, R -- ACTIVATOR W

MSDS Safety Information

FSC: 8040

NIIN: 00-180-6200

MSDS Date: 01/10/1995 MSDS Num: CLLPJ

Product ID: ACTIVATOR W

MFN: 02

Responsible Party Cage: TO881

Name: ARMSTRONG PRODUCTS DIVISION, RESIN TECHNOLOGY GROUP, LLC

Address: 28 NORFOLK AVE.,

C

ity: S. EASTON MA 00000-9999

Info Phone Number: (508) 230-8070 FAX (508) 230-2318

Emergency Phone Number: 800-424-9300 Preparer's Name: ERNEST CARTER Chemtrec IND/Phone: (800)424-9300

Review Ind: Y Published: Y

Contractor Summary

Cage: TO881

Name: ARMSTRONG PRODUCTS DIVISION, RESIN TECHNOLOGY GROUP, LLC

Address: 28 NORFOLK AVE., City: S. EASTON MA 00000-9999 Phone: (508) 230-8070 FAX

(508) 230-2318

Item Description Information

Item Manager: GSA Item Name: ADHESIVE

Specification Number: UNKNOWN

Unit of Issue: KT UI Container Qty: B Type of Container: KIT

Health Hazards Data

LD50 LC50 Mixture: NONE

Route Of Entry Inds - Inhalation: YES

Skin: YES Effects o f Exposure: EYE CONTACT: CONTACT CAUSES SEVERE IRRITATION. CAN CAUSE INJURY. SKIN CONTACT: THIS IS A CORROSIVE, CONTACT CAN CAUSE BURNS AND SEVERE TISSUE DAMAGE. INHALATION: CAN ACUSE IRRITATION TO THE NOSE, THR OAT, AND UPPER RESPIRATORY TRACT. CAN BE IRRITATING TO MUCOUS MEMBRANES, ESPECIALLY FOLLOWING PROLONGED EXPOSURE TO MISTS OR VAPORS. INHALATION CAN CAUSE DIZZINESS, HEADACHES, INCOORDINATION, WHEEZING, TIGHTNESS OF CHEST. INGESTION: THIS IS A CORROSIVE, SWALLOWING CAUSES S

EVERE BURNS TO THE MOUTH,

THROAT, AND DIGESTIVE TRACT. SWALLOWING CAN CAUSE NAUSEA, VOMITING, AND GASTROINTESTINAL UPSET.

Explanation Of Carcinogenicity: NONE

Signs And Symptions Of Overexposure: DEPENDING ON THE ROUTE, FREQUENCY, AND DURATION OF EXPOSURE THE FOLLOWING ORGANS AND/OR SYSTEMS MAY BE ADVERSELY EFFECTED: THE EYES, SKIN, RESPIRATORY SYSTEM, THE REPRODUCTIVE SYSTEM, AND THE IMMUNE SYSTEM (ALLERGIC REACTIONS). SOME OF THE COMPONENTS IN THIS PRODUCT MAY ALSO AGGRAVATE EXIS

TING MEDICAL CONDITIONS INVOLVING THE SKIN,

THE RESPIRATORY SYSTEM, THE REPRODUCTIVE SYSTEM, AND THE IMMUNE S YSTEM AND/OR SPECIFIC CHEMICAL ALLERGIES. CONSEQUENTLY, CERTAIN INDIVIDUALS MAY BE MORE SUSCEPTIBLE TO THE POSSIBLE EFFECTS OF OVEREXPOSURE AND SHOULD TAKE APPROPRIATE PRECAUTIONS WHEN HANDLING THIS P RODUCT.

Medical Cond Aggravated By Exposure: NONE

Handling and Disposal

==

Waste Disposal Methods: DISPOSAL MUST BE MADE IN ACCORDANCE WITH APPLICABLE GOVERNMENTAL REGULATIONS.

Handling And Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA. DO NOT STORE ABOVE 100 DEG F. AVOID CONTACT WITH EYES., SKIN, AND CLOTHING. HEATING CAN GENERATE VAPORS, USE APPROPRIATE VENTILATION OR APPROVED RESPIRATORS AS NECESSARY.

Other Precautions: NONE

Control Measures

===========

Respiratory Protection: AVOID BREATHING VAPOR OR MIST. WHERE EXPOSURE EXCEEDS ESTABLISHED AIRBORNE LIMITS, USE A NIOSH APPROVED RESPIRATOR, OR A SELF CONTAINED BREATHING APPARATUS, OR A SUPPLIED AIR RESPIRATOR AS NECESSARY TO CONTROL EXPOSURE.

Ventilation: VENTILATION CONTROLS: MAINTAIN AIRBORNE CONCENTRATIONS BELOW THE ESTABLISHED EXPOSURE LIMITS.

Protective Gloves: WEAR IMPERVIOUS GLOVES.

Eye Protection: WEAR CHEMICAL SPLASH GOGGLES AND A FULL FACE SHIELD.

Other Prote

ctive Equipment: NONE

Work Hygienic Practices: NONE

Supplemental Safety and Health: NONE

Physical/Chemical Properties

B.P. Text: NONE M.P/F.P Text: NONE Decomp Text: NONE Vapor Pres: <0.01

Vapor Density: AIR=1 >1

Spec Gravity: 0.97

Solubility in Water: SLIGHTLY IN WATER

Appearance and Odor: AMBER VISCOUS LIQUID AMINE ODOR.

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: AVOID CONTACT WITH THE ABOVE INCOMPATIBLE

CHEMICALS.

Materials To Avoid: OXIDIZING AGENTS.

Hazardous Decomposition Products: AMINES, OXIDES OF NITROGEN, SMOKE, SOOT,

CARBON DIOXIDE, CARBON MONOXIDE. Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

Toxicological Informat

ion

Toxicological Information: THIS SECTION PROVIDES TOXICOLOGICAL INFORMATION WITH REGARD TO THE PURE FORM OF THE COMPONENTS INDICATED. THIS INFORMATION CAN BE SUBJECT TO MISINTERPRETATION. IT IS THEREFORE SUGGESTED THAT THIS INFORMATION BE INTERPRETED BY PERSONS TRAINED IN ITS EVALUATION.

TRIETHYLENETETRAMINE: LD50 ORAL RABBIT: 1600 MG/KG. LD50 ORAL RAT: 2500 MG/KG. LD50 ORAL RABBIT: 5500 MG/KG. LD50 DERMAL RABBIT: 805 MG/KG

CORROSIVE TO THE EYES AND SKIN, POSSIBLY RESULTING IN SEVERE BURNS. INHALATION OF VAPORS OR MISTS CAN RESULT IN IRRITATION OF THE RESPIRATORY TRACT, DIZZINESS, AND COUGHING. CAN BE ABSORBED THROUGH THE SKIN.

Regulatory Information

Sara Title III Information: TOXIC CHEMICALS: PURSUANT TO SECTION 313 OF SARA TITLE 111, THIS PRODUCT DOES NOT CONTAIN A TOXIC CHEMICAL IN A CONCE

NTRATION

IN EXCESS OF 1PERCENT OF THE MIXTURE, OR 0.1 PERCENT IF THE LISTED CHEMICA L IS A CARCINOGEN.EXTREMELY HAZARDOUS SUBSTANCES: PURSUANT TO SECTION 302 OF SARA TITLE 111, THIS PRODUCT DOES NOT CONTAIN AN EXTREMELY HAZARDOUS SUBSTANCE.

Federal Regulatory Information: TSCA: THE CHEMICAL COMPONENTS OF THIS PRODUCT ARE CONTAINED ON SECTION 8 (B) OF THE CHEMICAL SUBSTANCE INVENTORY LIST (40 CFR 710).

HAZCOM Label

==========

Product ID: ACTIVATOR W

Cage: TO881 Assigned IND: Y

Company Name: ARMSTRONG PRODUCTS DIVISION, RESIN TECHNOLOGY GROUP, LLC

Street: 28 NORFOLK AVE.,

City: S. EASTON MA Zipcode: 00000-9999

Health Emergency Phone: 800-424-9300

Label Required IND: Y

Date Of Label Review: 09/12/2001

Status Code: A Origination Code: G

Hazard And Precautions: EYE CONTACT: CONTACT CAUSES SEVERE IRRITATION. CAN CAUSE INJURY. SKIN CONTACT: THIS IS A CORROSIVE, CONTACT CAN CAUSE

BURNS AND

SEVERE TISSUE DAMAGE. INHALATION: CAN ACUSE IRRITATION TO THE NOSE, THR OAT, AND UPPER RESPIRATORY TRACT. CAN BE IRRITATING TO MUCOUS MEMBRANES, ESPECIALLY FOLLOWING PROLONGED EXPOSURE TO MISTS OR VAPORS. INHALATION CAN CAUSE DIZZINESS, HEADACHES, INCOORDINATION, WHEEZING, TIGHTNESS OF CHEST. INGESTION: THIS IS A CORROSIVE, SWALLOWING CAUSES SEVERE BURNS TO THE MOUTH, THROAT, AND DIGESTIVE TRACT. SWALLOWING CAN CAUSE NAUSEA, VOMITING, AND GASTROINTESTINAL UPSET.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentali

ty of the United

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.