

COURTAULDS AEROSPACE INC -- MANGANESE DIOXIDE DISPERSION PR1750 A-1/2 --
8030-01-036-6936

===== Product Identification =====

Product ID:MANGANESE DIOXIDE DISPERSION PR1750 A-1/2

MSDS Date:09/30/1996

FSC:8030

NIIN:01-036-6936

Status Code:A

MSDS Number: CLLSC

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Countr

y:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-228-5635

Preparer's Name:ERNEST CARTER

Chemtec Ind/Phone:(800)424-9300

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRC-DESOTO INTL INC

Address:5454 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91203

Country:US

Phone:818-240-2060/800-228-563

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDROGENATED TERPHENYL
CAS:061788-32-7
= Wt:30.
OSHA PEL:0.5 PPM
ACGIH TLV:0.5 PPM

Ingred Name:CARBON BLACK
CAS:001333-86-4
= Wt:10.
OSHA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3

Ingred Name:MANGANESE DIOXIDE
CAS:001313-13-9
= Wt:55.
OSHA PEL:5 CEILING MG/M3
ACGIH TLV:5 AS MN MG/M3

Ingred Name:DIPHENYL GUANIDINE GUANIDINE, N, N, DIPHENYL
CAS:000102-06-7
< Wt:5.

=====
Hazards Identific
ation
=====

Effects of Overexposure:EYES: SEVERELY IRRITATING. SKIN: TOXIC BY SKIN
ABSORPTION. MAY BE A SENSITIZER. INHALATION: AIRBORNE MATERIAL MAY
PRODUCE IRRITATION, AND MAY BE ABSORBED THROUGH THE LUNGS.
INGESTION: TOXIC ON ORAL CO NSUMPTION.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. SKIN: WASH
WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION:
CONSU

LT A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:=157.2C, 315.F
Autoignition Temp:Autoignition Temp Text:NONE
Lower Limits:NONE
Upper Limits:NONE
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER.
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR.
Unusual Fire/Explosion Hazard:EXCESSIVE HEAT MAY CAUSE DECOMPOSITION OF
MANGANESE DIOXIDE, RESULTING IN OXIDATION AND POSSIBLE IGNITION OF
HYDROCARBON VEHIC
LE.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN UP RESIDUE WITH A
SUITABLE SOLVENT.

===== Handling and Storage =====

Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING AND
BEFORE SMOKING OR EATING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE
Ventilation:GENERAL VENTILATION.
Protective Gloves:SOLVENT RESISTA
NT GLOVES.
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:NONE
Work Hygienic Practices:NONE
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:644-644 DEG F
Melt/Freeze Pt:M.P/F.P Text:NONE
Decomp Temp:Decomp Text:NONE
Spec Gravity:1.97
Appearance and Odor:BLACK PASTE
Percent Volatiles by Volume:0.0%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:Y

ES

EASILY OXIDIZING MATERIALS.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN,
MANGANESE COMPOUNDS.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA
REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF
SPILLAGE.

Disclaimer (provided with this information by the compiling agencies):

This inform

ation is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.