Product ID:PRINT KOTE CONFORMAL COATING MSDS Date:07/24/1996 FSC:8010 NIIN:00-711-2173 Status Code:A MSDS Number: CLLWV === Responsible Party === **Company Name: GC THORSEN** Address:1801 MORGAN STREET City:ROCKFORD State:IL ZIP:61105 Country:US Info Phone Num:815-968-9661 Emergency Phone Num: (800) 424-930 0 Preparer's Name: HENRY SIMMONS Chemtrec Ind/Phone:(800)424-9300 CAGE:72653 === Contractor Identification === **Company Name: GC THORSEN** Address:1801 MORGAN STREET Box:City:ROCKFORD State:IL ZIP:61105 Country:US Phone:815-968-9661 CAGE:72653

Ingred Name:TOLUENE CAS:108-88-3 RTECS #:XS5250000 &It; Wt:60. OSHA PEL:SEE TABLE Z-2 ACGIH TLV:188 MG/M3;50 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:BENZENE CAS:71-43-2 RT ECS #:CY1400000 = Wt:0. OSHA PEL:SEE 1910.1028 ACGIH TLV:32 MG/M3;10 PPM EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:SILICONE RESIN CAS:110775-80-9 &It; Wt:60.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES Effects of Overexposure:EYE AND SKIN IRRITATION, ANESTHESIA, HEADACHE, DIZZINESS, NAUSEA.

=====

First Aid:EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION IMMEDIATELY AFTER FLUSHING. SKIN: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. INHALATION: FRESH AIR, OXYGEN, ARTIFICIAL RESPIRATION IF NECESSARY. INGESTION: DO NOT INDUCE VOMITING. SLOWLY DILUTE WITH 1-2 GLASSES OF WATER OR MILK AND SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO A N UNCONSCIOUS PERSON.

Flash Point Method:CC Flash Point:=10.C, 50.F Lower Limits:1.2 Upper Limits:7.0 Extinguishing Media:CO2, H20, H20 FOG, CHEM FOAM, DRY CHEM Fire Fighting Procedures:TREAT A FLAMMABLE LIQUID Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: REMOVE ALL IGNITION SOURCES - ABSORB WITH AN INERT MATERIAL - STORE IN METAL CONTAINERS FOR DISPOSAL.

====== Handling and St

Handling and Storage Precautions: AVOID HIGH TEMPERATURES AND IGNITION SOURCES. STORE IN A COOL, VENTILATED AREA. Other Precautions: AVOID INHALATION AND SKIN CONTACT.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: APPROVED NIOSH RESPIRATORY PROTECTION IF TLV IS EXCEEDED.
Ventilation: LOCAL EXHAUST, MECHANICLA AS REQUIRED TO MEET TLV'S.
Protective Gloves: RUBBER GLOVES - APRON IF NECESSARY.
Eye Protection: CHEMICALS
GOGGLES, FACE SHIELD OR SAFETY GLASSES.
Supplemental Safety and Health

Boiling Pt:=95.C, 203.F Vapor Pres:22 MMHG Vapor Density:3.2 Spec Gravity:.9 Evaporation Rate & amp; Reference:2 Solubility in Water:NOT Appearance and Odor:CLEAR VISCOUS LIQUID - TOLUENE ODOR Percent Volatiles by Volume:50

Stability Indicator/Materials to Avoid:YES CONTACT WITH OXIDIZING AGENTS. Stability Condition to Avoid:HEAT AND IGNITION SOURCES. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND FORMALDEHYDE.

Waste Disposal Methods:LINCENSED INCINERATOR OR PER GOVERNMENT REGULATIONS.

SARA Title III Information: THIS PRODUCT CONTAINS TOXIC CHEMICALS WHICH ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE

III OF THE SUPERFUND AMENDENTS AND REAUTHORIZATION ACT OF 1986 AND CFR PART 372.

State Regulatory Information:WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Depart ment

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.