

DEXTER CORPORATION ADHESIVE & COATING SYSTEMS -- HYSOL EA 956 PART B --
8040-00-463-7042

===== Product Identification =====

Product ID:HYSOL EA 956 PART B

MSDS Date:01/10/1995

FSC:8040

NIIN:00-463-7042

Status Code:A

Kit Part:Y

MSDS Number: CLMJL

=== Responsible Party ===

Company Name:DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94

565-3299

Country:US

Info Phone Num:202-483-7616

Emergency Phone Num:800-424-9300

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:33564

=== Contractor Identification ===

Company Name:DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

===== Composition/Information on Ingredients =====

Ingred Name:POLYAMIDE RESIN PROPRIETARY

Minimum % Wt:40.

Maxumu

m % Wt:70.

Ingred Name:DIETHYLENETRIAMINE

CAS:111-40-0

RTECS #:IE1225000

Minumum % Wt:10.

Maxumum % Wt:30.

ACGIH TLV:4.2 MG/M3;1 PPM

Ingred Name:TRIETHYLENETETRAMINE

CAS:112-24-3

RTECS #:YE6650000

Minumum % Wt:5.

Maxumum % Wt:10.

===== Hazards Identification =====

Health Hazards Acute and Chronic:SIGNS AND SYMPTOMS OF EXPOSURE: SKIN OR EYE IRRITATION, CHEST DISCOMFORT. IMMEDIATE EFFECTS: MATERIAL IS CORROSIVE TO EYES AND SKIN. BRIEF CONTACT MAY CAUSE CHEMICAL BURNS.

VAPORS AND MISTS WILL IRRIT ATE NOSE AND THROAT. LONG TERM EFFECTS: REPEATED OR PROLONGED SKIN CONTACT MAY RESULT IN BURNS AND POSSIBLE ALLERGIC SENSITIZATION.

Effects of Overexposure:THIS MATERIAL IS CORROSIVE TO EYES AND SKIN. BRIEF CONTACT MAY CAUSE CHEMICAL BURNS. VAPORS AND MISTS WILL IRRITATE NOSE AND THROAT.

Medical Cond Aggravated by Exposure:SKIN SENSITIZATION.

===== First Aid Measures =====

First Aid:EYE: FLU

SH EYES WITH LOTS OF RUNNING WATER FOR 15 MINUTES.

SKIN: WASH SKIN THOROUGHLY WITH SOAP AND WATER. INHALATION: REMOVE VICTIM TO FRESH AIR. INGESTION: DRINK PLENTY OF WATER.

===== Fire Fighting Measures =====

Extinguishing Media:DRY CHEMICAL, OR HALON FIRE EXTINGUISHER, OR WATER SPRAY, FOAM OR FOG.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING SUCH AS TURN-OUT GEAR. CARTRIDGE RESPIRATORS DO N

OT PROVIDE ADEQUATE PROTECTION FOR FIRE FIGHTERS OR EXOTHERM MITIGATION.

Unusual Fire/Explosion Hazard:MAY LIBERATE LARGE QUANTITIES OF DENSE FOUL-SMELLING SMOKE WHICH MAY CONTAIN UNIDENTIFIED TOXIC GASES.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE CLOTHING, GLOVES, AND SAFETY GLASSES. ABSORB SPILL WITH SORBENT MATERIAL SUCH AS VERMICULITE OR SAND. SCRAPE UP OR SHOVEL INTO DOT APPROVED WASTE CONTAINERS.

===== Handling and Storage =====

Handling and Storage Precautions:THIS PRODUCT MAY BE STORED AT ROOM TEMPERATURE FOR UP TO 12 MONTHS. HANDLING PRECAUTIONS: HANDLE EMPTY CONTAINERS AS IF THEY WERE FULL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:A RESPIRATOR.
Ventilation:LOCAL EXHAUST VENTILATION.
Protective Gloves:WEAR BUTYL RUBBER, PVC, OR NITRILE RUBBER GLOVES.
Eye Protection:WEAR SAFETY GLASSES WITH SIDE SHIELDS OR CHEMICAL GOGGLES.
Other Protective Equipment:AN EYEWASH AND SAFETY SHOWER SHOULD BE NEARBY AND READY FOR USE.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:=207.2C, 405.F
Melt/Freeze Pt:M.P/F.P Text:NONE
Decomp Temp:Decomp Text:NONE
Vapor Pres:MMHG:Vapor Density:AIR=1:>1
Spec Gravity:WATER=1: 0.96
VOC Pounds/Gallon:10
Viscosity:P: 10-30
Solubility in Water:100%
Appearance and Odor:AMBER LIQUID WITH AMMONIACAL O

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS.

Stability Condition to Avoid: (PART B) IN BATCHES.

Hazardous Decomposition Products: CO, NOX, ALDEHYDES, ACIDS AND
UNDETERMINED ORGANICS.

Conditions to Avoid Polymerization: MAY OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods: THIS MATERIAL, AS A WASTE, IS NOT CONSIDERED A
RCRA HAZARDOUS WASTE. HOWEVER, INCINERATION IN AN EPA-APPROVED
INCINERATOR IS A PREFERRED DISPOSAL PRACTICE. CHEMICAL ADDITIONS,
PROCESSING, OR OTHERWISE ALTERING THIS MATERIAL MAY MAKE THE WASTE
MANAGEMENT INFORMATION HEREIN INCOMPLETE, INACCURATE, OR OTHERWISE
INAPPROPRIATE. FOLLOW STATE AND LOCAL REQ

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States
of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.