

RED DEVIL, INCORPORATED -- 100% SILICONE SEALANT, 0816/50 -- 8030-00-180-6339

=====  
Product Identification  
=====

Product ID:100% SILICONE SEALANT, 0816/50

MSDS Date:02/07/1996

FSC:8030

NIIN:00-180-6339

Status Code:A

MSDS Number: CLMYG

=== Responsible Party ===

Company Name:RED DEVIL, INCORPORATED

Address:ONE WEBB STREET

Box:A

City:PRYOR

State:OK

ZIP:74361

Country:US

Info Phone Num:918-825-5744

Em

ergency Phone Num:918-825-5744

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:23577

=== Contractor Identification ===

Company Name:RED DEVIL, INCORPORATED

Address:ONE WEBB STREET

Box:A

City:PRYOR

State:OK

ZIP:74361

Country:US

Phone:918-825-5744

CAGE:23577

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SILICA

CAS:7631-86-9

= Wt:11.

OSHA PEL:20

ACGIH TLV:20

Ingred Name:METHYLTRACETOXYSILANE

CAS:4253-34-3

RTECS #:VV4500000

= Wt:2.

OSHA PEL:

10PPM  
ACGIH TLV:10 PPM

Ingred Name:ETHYLTRIACETOXYSILANE  
CAS:17689-77-9  
= Wt:2.

Ingred Name:TITANIUM DIOXIDE  
CAS:13463-67-7  
RTECS #:XR2275000  
= Wt:2.  
OSHA PEL:15 MG/M3  
ACGIH TLV:10 MG/M3

Ingred Name:NON-HAZARDOUS  
&gt; Wt:75.

=====  
===== Hazards Identification =====

Effects of Overexposure:EYE, NOSE AND THROAT IRRITATION. POSSIBLE SKIN IRRITATION.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH EYES WITH LARGE AMOUNTS OF WATER WHILE HOLDING THE EYELIDS OPEN.GET MEDICAL ATTENTION IF IRRITATION PERSISTS.SKIN: WIPE MATERIAL FROM SKIN WITH CLOTH OR PAPER TOWEL, THEN WASH EXPOSED AREA WITH SOAP AND WATER.GET MEDICAL HELP IF IRRITATION PERSISTS.INHALATION: MOVE VICTIM TO FRESH AIR.GET MEDICAL HELP IF IRRITATION PERSISTS. INGESTION:CONTACT LOCAL POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC  
FI  
Flash Point:93.3C, 200.F  
Extinguishing Media:CARBON DIOXIDE OR FOAM

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PERSONAL PROTECTIVE EQUIPMENT CLEAN UP WITH ABSORBENT MATERIAL.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR A NIOSH APPROVED RESPIRATOR  
Ventilation:LOCAL EXHAUST MAY BE NECESSARY UNDER SOME HANDLING/USE CONDITIONS  
Protective Gloves:CHEMICAL RESISTANT GLOVES ARE RECOMMENDED

ED

Eye Protection:WEAR SAFETY GLASSES

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Density:>1

Spec Gravity:>1

Solubility in Water:INSOLUBLE

Appearance and Odor:THICK LIQUID SLIGHT VINEGAR ODOR

Percent Volatiles by Volume: