

ULTRASEAL INTERNATIONAL INC. -- ULTRASEAL TIRE SEALANT 4150 -- 8030-01-289-4502

=====
Product Identification
=====

Product ID:ULTRASEAL TIRE SEALANT 4150
MSDS Date:01/01/1999
FSC:8030
NIIN:01-289-4502
Status Code:A
MSDS Number: CLNBC
=== Responsible Party ===
Company Name:ULTRASEAL INTERNATIONAL INC.
Emergency Phone Num:323-466-1226
Preparer's Name:ERNEST CARTER
Chemtrec Ind/Phone:(800)424-9300
C
AGE:57968
=== Contractor Identification ===
Company Name:ULTRASEAL INTERNATIONAL INC.
CAGE:57968

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYLENE GLYCOL
CAS:107-21-1
RTECS #:KW2975000
< Wt:30.
OSHA PEL:50 PPM
ACGIH STEL:C127 MG/M3;C50 PPM
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO
IARC:NO OSHA:NO
Health Hazards Acute and Chronic:HAUSEA IF INGESTED.
Effects of Overexposure:NONE
Medical Cond Aggravated by Exposure:NONE

=====
First Aid Measures
=====

First Aid:IF SWALLOWED: GIVE 1 TABLESPOON SALT IN GLASS OF WARM WATER
TO INDUCE VOMITING. REPEAT UNTIL VOMIT FLUIDS ARE CLEAR.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Autoignition Temp:Autoignition Temp Text:NONE
Lower Limits:NONE
Up

per Limits:NONE
Extinguishing Media:NONE
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILLS MAY BE ABSORBED INTO APPROPRIATE
ABSORBENT MATERIAL. LARGE SPILLS SHOULD BE PLACED IN CONTAINERS AND
DISPOSED OF AS BELOW.
Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:NONE
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE
Ventilation:NONE
Protective Gloves:NONE
Eye Protection:GOGGLES.
Other Protective Equipment:NONE
Work Hygienic Practices:WASH HANDS AFTER USE.
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

Boiling Pt.=100.C, 212.F
Melt/Freeze Pt:M.P/F.P Text:NONE
Decomp Temp:Decomp Text:NONE
Vapor Pres:20 MM
Vapor Density:1.0
Spec Gravity:108
Evaporation Ra
te & Reference:1.0
Solubility in Water:90%
Appearance and Odor:BLUE OR DARK GREY: GLYCOL ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:NONE
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND
LOCAL REGULATIO

NS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.