

CHEMENCE INC -- EPOXY RESIN MMM-A-1754 PART A -- 8040-00-738-6429

=====
Product Identification
=====

Product ID:EPOXY RESIN MMM-A-1754 PART A

MSDS Date:09/26/1994

FSC:8040

NIIN:00-738-6429

Status Code:A

MSDS Number: CLNBS

=== Responsible Party ===

Company Name:CHEMENCE INC

Address:6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA

ZIP:30201

Country:US

Info Phone Num:404-664-6624

Emergency Phone Num:404

-362-8319

Preparer's Name:ERNEST CARTER

Chemtre Ind/Phone:(800)424-9300

CAGE:0ZDS4

=== Contractor Identification ===

Company Name:CHEMENCE INC

Address:6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA

ZIP:30201

Country:US

Phone:404-664-6624

CAGE:0ZDS4

=====
Composition/Information on Ingredients
=====

Ingred Name:BLEND OF BISPHENOL A DIGLYCIDYL AND ETHER RESIN

CAS:25068-38-6

Code:F

RTECS #:CE6880000

= Wt:45.

=====
Hazards Identification
=====

L

D50 LC50 Mixture:NONE

Health Hazards Acute and Chronic:NONE

Effects of Overexposure:EFFECTS OF OVEREXPOSURE: PROLONGED SKIN CONTACT MAY RESULT IN DERMATITIS IN SENSITIVE PERSONS. WILL IRRITATE EYES ON CONTACT.

Medical Cond Aggravated by Exposure:NONE

=====
===== First Aid Measures =====

First Aid:WASH WITH SOAP AND WATER FOR SKIN CONTACT. FOR EYE CONTACT, FLUSH WITH PLENTY OF WATER. FOR INGESTION, INDUCE VOMITING. CONSULT PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:>254.4C, 490.F

Autoignition Temp:Autoignition Temp Text:NONE

Lower Limits:NONE

Upper Limits:NONE

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER.

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:TOXIC VAPORS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH INERT ABSORBENT. FLUSH AREA WITH WATER.

Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE AND OUT OF DIRECT SUNLIGHT.

Other Precautions:KEEP AWAY FROM CHILDREN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventilation:MECHANICAL VENTILATION NOT NORMALLY REQUIRED. ENSURE ADEQUATE ROOM VENTILATION FOR COMFORTABLE WORKING CONDITIONS.

Protective Gloves:POLYETHYLENE OR RUB

BER GLOVES.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:BARRIER CREME.

Work Hygienic Practices:NONE

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

Boiling Pt:>200.C, 392.F

Melt/Freeze Pt:M.P/F.P Text:NONE

Decomp Temp:Decomp Text:NONE

Vapor Pres:.01 (MM HG.)

Spec Gravity:1.84 (H2O=1)

Solubility in Water:INSOLUBLE

Appearance and Odor:PASTE/GREY MILD ODOR

Percent Volatiles by Volume: