View NSN Online: https://aerobasegroup.com/nsn/6635-01-288-8102

PACIFIC SCIENTIFIC INSTRUMENTS HIAC ROYCO DIV -- CALIBRATION KIT FOR HIAC/ROYCO

SENSORS, ACFTD IN OIL -- 6635-01-288-8102

Product ID:CALIBRATION KIT FOR HIAC/ROYCO SENSORS, ACFTD IN OIL

MSDS Date:10/07/1987

FSC:6635

NIIN:01-288-8102 Status Code:A

Kit Part:Y

MSDS Number: CLNCG === Responsible Party ===

Company Name: PACIFIC SCIENTIFIC INSTRUMENTS HIAC ROYCO DIV

Address: 481 CALIFORNIA AVE

City: GRANTS PASS

State:OR

ZIP:97526-1909

Country:US

Info Phone Num:641-479-1242 / FAX: 641-479-3057

Emergency Phone Num:641-279-1242

CAGE:15887

=== Contractor Identification ===

Company Name: PACIFIC SCIENTIFIC INSTRUMENTS HIAC ROYCO DIV

Address: 481 CALIFORNIA AVE

Box:City:GRANTS PASS

State:OR

ZIP:97526-1909

Country:US

Phone:641-479-1242 / FAX: 641-479-3057

CAGE:15887

Company Name:TRIMAN INDUSTRIES INC

Address: 420 COMMERCE LN SUITE 8

Box:City:WEST BERLIN

State:NJ ZIP:0 8091

Country:US

Phone:856-767-7945 /FAX: 856-767-7154

Contract Num:SP0440-02-M-V013

CAGE:0ZBE8

====== Composition/Information on Ingredients ========

Ingred Name: HYDROTREATED LIGHT NAPHTHENIC DISTILLATE

> Wt:80.

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG/M3 OIL MIST ACGIH TLV:5 MG/M3 OIL MIST

ACGIH STEL:10 MG/M3

Ingred Name: AC FINE TEST DUST

< Wt:1.

Other REC Limits: NONE RECOMMENDED

Ingred Name: OTHER COMPONENTS (TYPE NOT SPECIFIED)

< Wt:20.

Other REC Limits:NONE R

ECOMMENDED

LD50 LC50 Mixture:NA

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: EYES: MAY BE IRRITATING TO THE EYES.

SKIN: PROLONGED OR REPEATED CONTACT MAY CAUSE VARIOUS DISORDERS SUCH AS DERMATITIS, FOLLICULITIS, OR OIL ACNE. RELEASE DURING HIGH PRESSURE USAGE MAY RESULT IN INJ ECTION OF OIL INTO SKIN CAUSING LOCAL NECROSIS. INHALATION: IN HIGH CONCENTRATIONS (ATTAINABLE

ΑТ

HIGH TEMPERATURES), VAPOR IS IRRITATING TO MUCOUS MEMBRANES AND IS ANESTHETIC. INGESTION: LOW ORDER OF TOXICITY, BUT MAY CAUSE GASTROINTESTINAL DISTURBANCES SUCH AS CATHARSIS. ASPIRATION WITH SUBSEQUENT PULMONARY INFILTRATION MAY OCCUR.

Explanation of Carcinogenicity: COMPONENT(S) LISTED AS A CARCINOGEN? NOT LISTED.

First Aid:EYES:FLUSH WITH WATER FOR 15 MIN. WHILE HOLDING EYELIDS OPEN. GET MEDICAL

ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING AND WIPE EXCESS OFF. WASH WITH SOAP AND WATER OR A WATERLESS HAND CLEANER FOLLOW ED BY SOAP AND WATER. DO NOT REUSE CLOTHING UNTIL THOROUGHLY CLEANED. GET MEDICAL ATTENTION IF NEEDED. IF MATERIAL IS INJECTED UNDER THE SKIN, GET MEDICAL ATTENTION. INHALTION:REMOVE VICTIM TO FRESH A IR & PROVIDE OXYGEN IF BREATHING IS DIFFICULT. INGESTION:DO NOT INDUCE VOMITING. GIVE 1/2 PINT OF MILK OR WATER. IF VOMITING OCCURS, KEEP HEAD

LOWER THAN HIPS TO PREVENT ASPIRATION. KEEP VICTIM WARM & AT REST. SEEK DOCTOR.


============= Fire Fighting Measures ========================

Flash Point Method:COC Flash Point:=85.C, 185.F

Lower Limits:1% Upper Limits:7%

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL POWDER, OR FOAM EXTINGUISHER. DO NOT USE WATER JET.

Fire Fighting Procedures:DO NOT ENTER CONFINED FIRE SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING A NIOSH APPROVED SELF CONTAINED BREATHING APPA



| Percent Volatiles by Volume:NA |
|---|
| ========= Stability and Reactivity Data ========== |
| Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:AVOID HEAT, OPEN FLAME. Hazardous Decomposition Products:CARBON MONOXIDE AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED UPON COMBUSTION. Conditions to Avoid Polymerization:WILL NOT OCCUR |
| ====================================== |
| Ecological:EPA-CLEAN WATER ACT (CWA). THIS PRODUCT IS CLASSIFIED AN AN OIL UNDER SECTION 311 OF THE CLEAN WATER ACT. SPILLS ENTERING A) SURFACE WATERS OR B) ANY WATER COURSES OR SEWERS ENTERING/LEAVING TO SURFAC E WATERS THAT CAUSE A SHEEN MUST BE REPORTED TO THE NATIONAL RESPONSE CENTER. 800-424-8802. |
| ======== Disposal Considerations =========== |
| Waste Disposal Methods:DISPOSE OF IN AN APPROPRIATE DISPOSAL FACILITY IN COMP |
| LIANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS. |
| ========= MSDS Transport Information =========== |
| Transport Information:THIS MATERIAL IS CLASSIFIED AS COMBUSTIBLE LIQUID BY D.O.T. REGULATIONS. |
| ====================================== |
| SARA Title III Information:THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE EPA/TSCA INVENTORY OF CHEMICAL SUBSTANCES. |
| ====================================== |
| Disclaimer (pr |

Appearance and Odor:RED CLEAR FLUID, SLIGHT PETROLEUM ODOR

SOLUBLE

ovided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.