

ARMSTRONG WORLD INDUSTRIES, I -- HENRY 595 COVE BASE ADHESIVE

=====  
MSDS Safety Information  
=====

FSC: 8040  
NIIN: 00-473-6350  
MSDS Date: 11/01/1998  
MSDS Num: CLNHM  
Product ID: HENRY 595 COVE BASE ADHESIVE  
MFN: 01  
Responsible Party  
Cage: 03938  
Name: ARMSTRONG WORLD INDUSTRIES, INC.  
Address: 313 W. LIBERTY ST.  
Box:  
3209  
City: LANCASTER PA 17604  
Info Phone Number: 717-396-2328; 717-396-2935  
Emergency Phone Number: 800-424-9300  
Preparer's Name: ERNEST CARTER  
Chemtrec IND/Phone: (800)424-9300  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 03938  
Name: ARMSTRONG WORLD INDUSTRIES, INC.  
Address: 313 W. LIBERTY ST.  
Box: 3209  
City: LANCASTER PA 17604  
Phone: 717-396-2328; 717-396-2935

=====  
Item Description Information  
=====

Item Manager: GSA  
Item Name: ADHESIVE  
Unit of Issue: GL  
UI Container Qty: 0

=====  
Health Hazards Data  
=====

Signs And Symptions Of Overexposure: SKIN AND EYES: MAY PRODUCE SLIGHT  
TRANSIENT IRRITATION TO THE EYES AND SKIN.  
First Aid: SKIN AND EYES: FLUSH ANY EYE CONTACT

WITH PLENTY OF WATER, SKIN  
CONTACT, WASH WITH SOAP AND WATER.

=====  
Handling and Disposal  
=====

Spill Release Procedures: CONTAIN SPILL, PREVENTING IT FROM ENTERING SEWER  
LINES OR WATERWAYS, USE ABSORBENT TO ASSIST WITH THE PICK-UP OF MATERIAL.  
SCRAPE UP PRODUCT AND PLACE INTO CONTAINER. RESIDUAL, OF PRODUCT, WHILE STI  
LL WET, CAN BE CLEANED UP WITH WARM SOAPY WATER.

Waste Disposal Meth

ods: DISPOSE OF CONTAINER AND ANY UNUSED CONTENTS IN  
ACCORDANCE WITH FEDERAL, STATE, AND LOCAL WASTE DISPOSAL REGULATIONS.

Handling And Storage Precautions: RECOMMENDED STORAGE TEMPERATURE IS BELOW 90  
F.

Other Precautions: WORK SITE ENVIRONMENT: INITIALLY THERE MAY BE A POTENTIAL  
ADVERSE IMPACT ON INDOOR AIR QUALITY WITHIN GENERAL WORK AREA DURING  
INSTALLATION PROCESS. THEREFORE, ADVISE BUILDING MANAGER OR OTHER APPROPR  
IATE PERSON THAT IT WILL BE NECESSARY TO ESTABLISH AND MAINTAIN AD  
EQUATE  
VENTILATION.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: SCC

Flash Point: =93.3C, 200.F

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, WATER SPRAY.

Fire Fighting Procedures: PROTECT FIRE FIGHTERS FROM TOXIC PRODUCTS OF  
COMBUSTION BY WEARING SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: CLOSED CONTAINERS IN A FIRE MAY RUPTURE DUE TO  
P  
RESSURE BUILD UP USE WATER TO COOL CONTAINERS TO PREVENT THIS.

=====  
Control Measures  
=====

Respiratory Protection: SHOULD NOT BE REQUIRED

Ventilation: NORMAL, AMBIENT VENTILATION SHOULD BE SUFFICIENT

Protective Gloves: LATEX OR RUBBER GLOVES

Eye Protection: SPECTACLE TYPE GLASSES.

Supplemental Safety and Health: RECOMMENDED STORAGE BELOW 90 DEG F.  
=====

=====

Physical/Chemical Properties

=====

Boiling Point: >100.C, 212.F  
Vapor Pres: SAME AS WATER  
Vapor Density: WATER  
Spec Gravity: 1.33  
PH: 9  
Evaporation Rate & Reference: WATER  
Solubility in Water: DISPERSIBLE  
Appearance and Odor: WHITE PASTE. MILD.

=====

Reactivity Data

=====

Stability Indicator: YES  
Materials To Avoid: STRONG OXIDIZING AGENTS.  
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, AND ORGANIC COMPOUNDS.  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====

HAZCOM Label

=====

Product ID: HENRY 595 COVE BASE ADHESIVE  
Cage: 03938  
Company Name: ARMSTRONG WORLD INDUSTRIES, INC.  
Street: 313 W. LIBERTY ST.  
PO Box: 3209  
City: LANCASTER PA  
Zipcode: 17604  
Health  
Emergency Phone: 800-424-9300  
Label Required IND: Y  
Date Of Label Review: 10/12/2001  
Status Code: A  
Origination Code: G

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability b

y or to any person or persons outside the Department of Defense  
nor any person or persons contracting with any instrumentality of the United  
States of America and disclaims all liability for such use. Any person  
utilizing this instruction who is not a military or civilian employee of the  
United States of America should seek competent professional advice to verify  
and assume responsibility for the suitability of this information to their  
particular situation regardless of similarity t  
o a corresponding Department  
of Defense or other government situation.