View NSN Online: https://aerobasegroup.com/nsn/9150-01-226-4315

CHEMAX CORP -- G122, G122E, G122A, G123, PACESETTER EP-65 GREASE(SEE SUPPL) -- 9150-01-226-4315

============= Product Identification ==================

Product ID:G122, G122E, G122A, G123, PACESETTER EP-65 GREASE(SEE SUPPL)

MSDS Date:01/02/2000

FSC:9150

NIIN:01-226-4315

Status Code:A

MSDS Number: CLNJF === Responsible Party ===

Company Name: CHEMAX CORP

Address: HWY 90 W

Box:7453

City:BEAUMONT

State:TX

ZIP:77726-1453

С

ountry:US

Info Phone Num:800-346-0132/409-866-4232 (INFO)

Emergency Phone Num:800-346-0132 Preparer's Name:NOT PROVIDED

CAGE:66968

=== Contractor Identification === Company Name: CHEMAX CORP

Address:HWY. 90 WEST

Box:7453

City:BEAUMONT

State:TX

ZIP:77726-1453 Country:US

Phone:800-346-0132/409-866-4232 (INFO)

Contract Num:SP0450-01-M-LK60

CAGE:66968

======= Composition/Information on Ingredients ========

Ingred Name: MONTMORILLONITE

CAS:68953-58-2

= Wt:6.

Other REC Limits: NONE RECOMME

**NDED** ACGIH TLV:15 MG/M3 Ingred Name: PETROLEUM NAPHTHA CAS:8030-30-6 RTECS #:DE3030000 = Wt:86.Other REC Limits: NONE RECOMMENDED OSHA PEL:5 MG/M3 (OIL MIST) ACGIH TLV:5 MG/M3 (OIL MIST) Ingred Name: NON HAZARDOUS (TRADE SECRET ADDITIVES) = Wt:8. Other REC Limits: NONE RECOMMENDED ============== Hazards Identification ======================= LD50 LC50 Mixture: NOT PROVIDED Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EFFECTS OF OVEREXPOSURE: CAN CA **USE** GASTROINTESTINAL IRRITATION, REDNESS, IRRITATION, ITCHING, AND BURNING TO EYES, AND PROLONGED CONTACT WITH SKIN CAN RESULT IN DERMATITIS. **Explanation of Carcinogenicity:NONE** Effects of Overexposure: CAN CAUSE GASTROINTESTINAL IRRITATION, REDNESS, IRRITATION, ITCHING, AND BURNING TO EYES, AND PROLONGED CONTACT WITH SKIN CAN RESULT IN DERMATITIS. Medical Cond Aggravated by Exposure: NOT PROVIDED First Aid: SKIN: WASH WITH SOAP AND WATER. LAUNDER CLOTHING BEFORE


SKIN: WASH WITH SOAP AND WATER. LAUNDER CLOTHING BEFORE RE-USE. EYES: FLUSH W/COPIOUS VOLUMES OF CLEAR WATER AND SUPPLY ISOTONIC SOLUTION. INGESTION: DO NOT INDUCE VOMITING. SEEK IMMEDIATE MEDICAL ATT ENTION. INHALATION: NOT APPLICABLE.

========= Fire Fighting Measures ==============

Flash Point Method:COC Flash Point:=232.2C, 450.F

Extinguishing Media:DRY FOAM, SAND, CARBON DIOXIDE OR OTHER SMOTHERING MEDIUM.

Fire Fighting Procedures: TREAT AS FOR ALL CLASS



Corrosion Rate:NOT PROVIDED
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES CHLORINE, OXYGEN, AVOID OXIDIZING ATMOSPHERES. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:UNIDENTIFIED ORGANICS. OXIDATION: OXIDES OF CARBON.
========== Toxicological Information ===========
Toxicological Information:NOT PROVIDED
========= Ecologic al Information ====================================
Ecological:NOT PROVIDED
======= Disposal Considerations ==========
Waste Disposal Methods:FOLLOW STATE AND LOCAL REGULATIONS FOR DISPOSAL OF LARGE NON-RECLAIMABLE SPILLS.
======== MSDS Transport Information ==========
Transport Information:NOT PROVIDED
======================================
Federal Regulatory Information:NOT PROVIDED State Regulatory Information:NOT PROVI DED
======================================
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

atiles by Volume:0.05

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsib

ility for the suitability of this information to their particular situation.