

COVENTRY COATINGS -- BLACK TIRE PAINT -- 8010-01-115-4724

=====  
Product Identification  
=====

Product ID:BLACK TIRE PAINT  
MSDS Date:08/23/1999  
FSC:8010  
NIIN:01-115-4724  
Status Code:A  
MSDS Number: CLNJK  
=== Responsible Party ===  
Company Name:COVENTRY COATINGS  
Address:55 RAILROAD AVENUE  
Box:339  
City:GARNERVILLE  
State:NY  
ZIP:10923  
Country:US  
Info Phone Num:(914)786-3465  
Emergency Phone Num:914-786-3465  
Preparer's Name:ERNEST CARTER  
Chemtec Ind/Phone:(800)424-9300  
CAGE:1PXV4  
=== Contractor Identification ===  
Company Name:COVENTRY COATINGS  
Address:55 RAILROAD AVENUE  
Box:339  
City:GARNERVILLE  
State:NY  
ZIP:10923  
Country:US  
Phone:(914)786-3465  
CAGE:1PXV4

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MEDIUM OIL ALKYD  
= Wt:43.

Ingred Name:MAGNESIUM SILICATE  
CAS:14807-96-6  
Code:F  
RTECS #:WW2710000  
= Wt:21.  
OSHA PEL:SEE TABLE Z-3  
ACGIH TLV:2 MG/M3

Ingred Name:V

M&P NAPHTHA

CAS:8030-30-6

Code:F

RTECS #:DE3030000

= Wt:20.

OSHA PEL:400 MG/M3;100 PPM

ACGIH TLV:1590 MG/M3;400 PPM

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Effects of Overexposure:EFFECTS OF OVEREXPOSURE: DIZZINESS, NAUSEA,  
VOMITING, LOSS OF COORDINATION, AND FATIGUE.

Medical Cond Aggravated by Exposure:ASTHMA, HEART CONDITION.

=====  
===== First Aid Measures =====

First A

id:SKIN CONTACT: FLUSH WITH WATER.IF REDNESS PERSISTS SEEK  
MEDICAL ATTENTION. INHALATION: IF RESPIRATORY SYMPTOMS DEVELOP,  
REMOVE VICTIM FROM SOURCE OF EXPOSURE TO FRESH AIR. IF SYMPTOMS  
PERSIST SEEK MEDICAL ATTENTION. INGESTION: SEEK EMERGENCY MEDICAL  
ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=27.2C, 81.F

Upper Limits:7%

Extinguishing Media:CO2/FOAM.

Fire Fighting Procedures:THE USE OF SCBA IS RECOMMENDE  
D FOR FIRE

FIGHTERS. WATER SPRAY MAY BE USEFUL IN IN COOLING CONTAINERS  
EXPOSED TO HEAT AND FLAME. AVOID SPREADING BURNING LIQUID WITH  
WATER USED FOR COOLING PURPOSES. FI GHT AS VOLATILE LIQUID FIRE.  
CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. USE  
WATER TO COOL FIRE EXPOSED

Unusual Fire/Explosion Hazard:THIS MATERIAL MAY BE IGNITED BY HEAT,  
SPARKS, FLAME OR STATIC ELECTRICITY. KEEP CONTAINERS CLOSED WHEN  
NOT IN USE. ISOLATE FROM HEAT, SPARKS, PILOT LI

GHTS SMOKING  
MATERIALS AND OTHER SOURCES OF IGNITION.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SOURCE OF IGNITION. KEEP OUT OF DRAINS  
SEWERS, WATERWAYS USE ABSORBENT PADS.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP IN COOL PROPERLY VENTILATED  
EXPLOSION PROOF AREA.  
Other Precautions:KEEP AWAY FROM HEAT SPARKS, AND OPEN FLAMES. USE  
APPROVED GROUNDING EQUIPMENT TO AVOID STATIC SPARKS. THIS PRODUCT  
CONTAINS XYLOL AND IS SUBJECT TO THE REPORTING REQUIREMENTS OF SARA  
313 AND 40 CFR 372.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:APPROVED ORGANIC SUPPLIED AIR RESPIRATOR.  
Ventilation:MECHANICAL EXPLOSIONPROOF.  
Protective Gloves:PROTECTIVE GLOVES: YES.  
Eye Protection:EYE PROTECTION: YES.  
Other Protective Equipment:IMPERVIOUS CLOTHING.  
Work Hygienic Practices:WASH BEFORE EATING.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:282.00-286.00  
Vapor Density:HEAVIER  
VOC Grams/Liter:8.62  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Solubility in Water:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Stability Condition to Avoid:HEAT, SPARKS OPEN FLAMES, STATIC  
ELECTRICITY.  
Hazardous Decomposition Products:CO2.  
Conditions to Avoid Polymerization

n:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE PRODUCT IN ACCORDANCE WITH LOCAL, COUNTY STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.