

COVENTRY COATINGS -- MEDIUM ACRYLIC LACQUER THINNER -- 8010-00-181-7782

=====
Product Identification
=====

Product ID:MEDIUM ACRYLIC LACQUER THINNER

MSDS Date:08/23/1999

FSC:8010

NIIN:00-181-7782

Status Code:A

MSDS Number: CLNNG

=== Responsible Party ===

Company Name:COVENTRY COATINGS

Address:55 RAILROAD AVENUE

Box:339

City:GARNERVILLE

State:NY

ZIP:10923

Country:US

Info Phone Num:(914)786-3465

Em

ergency Phone Num:914-786-3465

Preparer's Name:ERNEST CARTER

Chemtec Ind/Phone:(800)424-9300

CAGE:1PXV4

=== Contractor Identification ===

Company Name:COVENTRY COATINGS

Address:55 RAILROAD AVENUE

Box:339

City:GARNERVILLE

State:NY

ZIP:10923

Country:US

Phone:(914)786-3465

CAGE:1PXV4

=====
Composition/Information on Ingredients
=====

Ingred Name:ACETONE

CAS:67-64-1

RTECS #:AL3150000

= Wt:20.

OSHA PEL:2400 MG/M3;1000 PPM

ACGIH TLV:1780 MG/M3;750 PPM

ACGIH STEL:2380 MG/M3;1000 PP

M
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:BUTYL ALCOHOL
CAS:71-36-3
RTECS #:EO1400000
= Wt:15.
OSHA PEL:300 MG/M3;100 PPM
ACGIH STEL:C152 MG/M3;C50 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:PM ACETATE SOLVENT
CAS:108-65-6
Code:F
RTECS #:AI8925000
= Wt:20.

Ingred Name:TOLUOL
CAS:108-88-3
RTECS #:XS5250000
= Wt:20.
OSHA PEL:SEE TABLE Z-2
ACGIH TLV:188 MG/M3;50 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:VM&P NAPHTHA
CAS:8030-30-6
Code:F
RTECS #:DE303
0000
= Wt:25.
OSHA PEL:400 MG/M3;100 PPM
ACGIH TLV:1590 MG/M3;400 PPM

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:PRIMARY ROUTES OF ENTRY INTO THE BODY,
AND EFFECTS MOUTH, SKIN, LUNGS.
Effects of Overexposure:DIZZINESS, NAUSEA, VOMITING, LOSS OF
COORDINATION, AND FATIGUE.
Medical Cond Aggravated by Exposure:ASTHMA, HEART CONDITION.

===== First Aid Measu

res =====

First Aid:SKIN CONTACT: FLUSH WITH WATER.IF REDNESS PERSISTS SEEK MEDICAL ATTENTION. INHALATION:IF RESPIRATORY SYMPTOMS DEVELOP, REMOVE VICTIM FROM SOURCE OF EXPOSURE TO FRESH AIR.IF SYMPTOMS PERSIST SEEK MEDICAL ATTENTION. INGESTION: SEEK EMERGENCY MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=-27.2C, 81.F

Upper Limits:7%

Extinguishing Media:CO2/FOAM.

Fire Fighting Pro

cedures:THE USE OF SCBA IS RECOMMENDED FOR FIRE

FIGHTERS. WATER SPRAY MAY BE USEFUL IN COOLING CONTAINERS EXPOSED TO HEAT AND FLAME. AVOID SPREADING BURNING LIQUID WITH WATER USED FOR COOLING PURPOSES. FIGHT AS VOLATILE LIQUID FIRE. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. USE WATER TO COOL FIRE EXPOSED CO

Unusual Fire/Explosion Hazard:THIS MATERIAL MAY BE IGNITED BY HEAT, SPARKS, FLAME OR STATIC ELECTRICITY.KEEP CONTAINERS CLOSED WHEN NOT IN USE

. ISOLATE FROM HEAT, SPARKS, PILOT LIGHTS SMOKING MATERIALS AND OTHER SOURCES OF IGNITION.

===== Accidental Release Measures =====

Spill Release Procedures:STAY UPWIND. REMOVE SOURCE OF IGNITION. KEEP OUT OF DRAINS SEWERS, WATERWAYS USE ABSORBENT PADS.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP IN COOL PROPERLY VENTILATED EXPLOSION PROOF AREA.

Other Precautions:KEEP AWAY FROM HEAT SPARKS, AND OPEN FLAMES. USE

APPROVED GROUNDING EQUIPMENT TO AVOID STATIC SPARKS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:APPROVED ORGANIC SUPPLIED AIR RESPIRATOR.

Ventilation:MECHANICAL EXPLOSIONPROOF.

Protective Gloves:YES

Eye Protection:YES

Other Protective Equipment:IMPERVIOUS CLOTHING.

Work Hygienic Practices:WASH BEFORE EATING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P

. Text:282.00-286.00 F
Vapor Density:>AIR
VOC Grams/Liter:6.89
Evaporation Rate & Reference:SLOWER THAN ETHER
Solubility in Water:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:HEAT, SPARKS OPEN FLAMES, STATIC
ELECTRICITY.
Hazardous Decomposition Products:CO2.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE PRODUCT IN ACCORDANCE WITH LOCAL, COUNTY
STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.