

KENNETH INDUSTRIAL PRODUCTS IN -- PLASTISEAL "F"

=====  
MSDS Safety Information  
=====

FSC: 8030  
NIIN: 01-216-5487  
MSDS Date: 11/01/1997  
MSDS Num: CLNYR  
Product ID: PLASTISEAL "F"  
MFN: 02  
Responsible Party  
Cage: 53181  
Name: KENNETH INDUSTRIAL PRODUCTS INC  
Address: 174 STATE STREET  
Box: 4020  
City: MERIDEN  
CT 06450  
Info Phone Number: 203-238-2623  
Emergency Phone Number: 203-238-2623  
Preparer's Name: ERNEST CARTER  
Chemtrec IND/Phone: (800)424-9300  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 53181  
Name: KENNETH INDUSTRIAL PRODUCTS INC  
Address: 174 STATE STREET  
Box: 4020  
City: MERIDEN CT 06450  
Phone: 203-238-2623

=====  
Item Descrip  
tion Information  
=====

Item Name: PLASTERSEAL "F"

=====  
Health Hazards Data  
=====

Skin: YES  
Effects of Exposure: MAY CAUSE SKIN IRRITATION IN SOME INDIVIDUALS.  
Medical Cond Aggravated By Exposure: MAY CAUSE SKIN IRRITATION IN SOME  
INDIVIDUALS.  
First Aid: SKIN CONTACT: WASH WITH WARM SOAPY WATER. EYE CONTACT: FLUSH WITH  
EYE IRRIGANT.

=====

=====  
Handling and Disposal  
=====

Spill Release Procedures: CLEAN UP WITH WATER.

Handling And Storage Precautions: AVOID REPEATED CONTACT. SLIGHTLY SKIN IRRITATION MAY OCCUR. BEST STORED IN ORIGINAL CONTAINER.

=====  
Control Measures  
=====

Protective Gloves: SHOULD BE USED.

Eye Protection: SHOULD BE USED AS COMMON SAFETY PRACTICE.

=====  
Physical/Chemical Properties  
=====

Boiling Point: =100.C, 212.F

Vapor Pres: 25

Vapor Density: 1

Spec Gravity: 1.6

Solubility in Water: SOLUBLE

Appearance and Odor: SHINEY BLACK ODORLESS PASTE

=====  
HAZCOM Label  
=====

Product ID: PLASTISEAL "F"

Cage: 53181

Company Name:

KENNETH INDUSTRIAL PRODUCTS INC

Street: 174 STATE STREET

PO Box: 4020

City: MERIDEN CT

Zipcode: 06450

Health Emergency Phone: 203-238-2623

Label Required IND: Y

Date Of Label Review: 10/23/2001

Status Code: A

Origination Code: G

Hazard And Precautions: MAY CAUSE SKIN IRRITATION IN SOME INDIVIDUALS.

=====  
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

t of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of Ame

rica should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.