

LOCTITE CORPORATION -- 30522, HYDRAULIC JACK OIL

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 01-091-8079
MSDS Date: 08/26/2001
MSDS Num: CLPDW
Product ID: 30522, HYDRAULIC JACK OIL
MFN: 01
Responsible Party
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HIL
L CT 06067-3910
Info Phone Number: 860-571-5100
Emergency Phone Number: 860-571-5100
Resp. Party Other MSDS No.: REV. 0020

=====
Item Description Information
=====

Item Name: HYDRAULIC JACK OIL
Unit of Issue: QT
UI Container Qty: 0

=====
Ingredients
=====

Cas: 64742-52-5
RTECS #: PY8035000
Name: M
INERAL OIL
% low Wt: 95.
% high Wt: 100.
Other REC Limits: NONE
OSHA PEL: 5 MG/M3 (OIL MIST)
ACGIH TLV: 5 MG/M3 (OIL MIST)

Name: POLYMETHACRYLATE DISPERSION (NJ TSRN: 06-070-1067-5034P)
% low Wt: 1.
% high Wt: 3.
Other REC Limits: NOT PROVIDED
OSHA PEL: NOT PROVIDED
ACGIH TLV: NOT PROVIDED

Name: RUST INHIBITOR (NJ TSRN 06-070-1067-5035P)
% low Wt: .1
% high Wt: 1.
Other REC Limits: NOT PROVIDED
OSHA PEL: NOT PROVIDED
ACGIH TLV: NOT PROV

IDED

Name: SURFACTANT (NJ TSNR 06-070-1067-5036P)

% low Wt: .01

% high Wt: .1

Other REC Limits: NOT PROVIDED

OSHA PEL: NOT PROVIDED

ACGIH TLV: NOT PROVIDED

=====
Health Hazards Data

=====
LD50 LC50 Mixture: NOT PROVIDED

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: PROLONGED EXPOSURE

MAY CAUSE DERMATITIS. BREATHING OR MIST

OR VAPOR MAY CAUSE IRRITATION OF THE PULMONARY TRACT OR ASPIRATION PNEUMONIA.

Explanation Of Carcinogenicity: NONE

Signs And Symptoms Of Overexposure: PROLONGED EXPOSURE MAY CAUSE DERMATITIS.

BREATHING OR MIST OR VAPOR MAY CAUSE IRRITATION OF THE PULMONARY TRACT OR ASPIRATION PNEUMONIA.

Medical Cond Aggravated By Exposure: NONE KNOWN.

First Aid: INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN

MEDICAL ATTENTION. INHALATION: NOT LIKELY TO OCCUR EXCEPT AS MIST. REMOVE TO

FRESH AIR. IF SYMPTOMS PERSIST, OBTAIN MEDICAL ATTENTION. SKIN: WASH WITH

SOAP AND WATER. IF IRRITATION PERSISTS, CONSULT PHYSICIAN. EYE: FLUSH WITH

WATER FOR AT LEAST 15 MINUTES. OBTAIN MEDICAL ATTENTION.

=====
Handling and Disposal

=====
Spill Release Procedures: CONTAIN SPILL. SOAK UP WITH INERT ABSORBENT. STORE IN

A CLOSED CONTAINER UNTIL DISPOSAL.

CLEAN UP RESIDUE WITH SOAP AND WATER.

Neutralizing Agent: NOT RELEVANT

Waste Disposal Methods: INCINERATE FOLLOWING EPA AND LOCAL REGULATIONS.

Handling And Storage Precautions: KEEP AWAY FROM FLAMES, SPARKS OR HOT

SURFACES. (CONTACT LOCTITE CUSTOMER SERVICE 1-800-243-4874 FOR SHELF LIFE.)

AVOID SKIN CONTACT. KEEP AWAY FROM EYES. AVOID PROLONGED BREATHING OF VAPORS.

Other Precautions: NOT PROVIDED

=====
Fire and Explosion Hazard Information

on

Flash Point Method: OC

Flash Point: >93.3C, 200.F

Lower Limits: N/AV

Upper Limits: N/AV

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL

Fire Fighting Procedures: NOT AVAILABLE

Unusual Fire/Explosion Hazard: NONE

Control Measures

Respiratory Protection: NIOSH APPROVED RESPIRATOR WHEN VENTILATION IS INADEQUATE.

Ve

ntilation: SUFFICIENT TO MAINTAIN VAPOR CONCENTRATIONS BELOW TLV.

Protective Gloves: NEOPRENE OR PLASTIC GLOVES

Eye Protection: SAFETY GLASSES OR GOGGLES.

Other Protective Equipment: NOT PROVIDED

Work Hygienic Practices: NOT PROVIDED

Supplemental Safety and Health: ABBREVIATION: N/A = NOT APPLICABLE. N/AV = NOT AVAILABLE. N/K = UNKNOWN. N/P = NOT PROVIDED. N/R = NOT RELEVANT. N/D = NOT DETERMINED. N/E = NOT ESTABLISHED.

Physical/Chemical

Properties

HCC: V6

NRC/State LIC No: NOT RELEVANT

Boiling Point: >260.C, 500.F

M.P/F.P Text: NOT PROVIDED

Decomp Text: NOT PROVIDED

Vapor Pres: <5MM

Vapor Density: N/AV

Spec Gravity: 0.905@60F

VOC Grams/Liter: 195

Viscosity: NOT PROVIDED

Evaporation Rate & Reference: NOT AVAILABLE

Solubility in Water: NEGLIGIBLE

Appearance and Odor: AMBER LIQUID; MILD PETROLEUM ODOR

Percent Volatiles by Volume: NOT PROVIDED

Corrosion Rate: NOT

PROVIDED

=====
Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: NOT PROVIDED
Materials To Avoid: STRONG OXIDIZERS
Hazardous Decomposition Products: NONE
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NONE
=====

Toxicological Information
=====

Toxicological Information: PROLONGED EXPOSURE MAY CAUSE DERMATITIS. BREATHING OR MIST OR VAPOR MAY CAUSE IRRITATION OF THE PULMONARY TRACT OR ASPIRATION PNEUMONIA.
=====

Ecological Information
=====

Ecological: NO DATA AVAILABLE.
=====

MSDS Transport Information
=====

Transport Information: D
OT (49 CFR 172) DOMESTIC GROUND TRANSPORT PROPER
SHIPPING NAME: UNRESTRICTED. HAZARD CLASS OR DIVISION: UNRESTRICTED.
IDENTIFICATION NUMBER: NONE. MARINE POLLUTANT: NONE. IATA: PROPER SHIPPING
NAME: UNRESTRICTED. CLASS OR DIVISION: UNRESTRICTED. UN OR ID NUMBER: NONE.
=====

Regulatory Information
=====

Sara Title III Information: NOT PROVIDED
Federal Regulatory Information: EPA HAZARDOUS WASTE MATERIAL.
ASTE NUMBER: NH - NOT A RCRA HAZARDOUS WASTE MATERIAL.
State Regulatory Information: CALIFORNIA PROPOSITION 65: WARNING: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM: PPM CADMIUM, LEAD, ARSENIC.
=====

Other Information
=====

Other Information: NONE
=====

Transporta

tion Information

=====
Responsible Party Cage: 05972
Trans ID NO: 159500
Product ID: 30522, HYDRAULIC JACK OIL
MSDS Prepared Date: 08/26/2001
Review Date: 10/25/2001
MFN: 1
Net Unit Weight: 1.9 LBS
Multiple KIT Number: 0
Unit Of Issue: QT
Container QTY: 0
Additional Data: NOT REGULATED FOR TRANSPORTATION, PER MSDS.
=====

Detail DOT Information

=====
=====
DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail IMO Information

=====
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

Detail IATA Information

=====
IATA PSN Code: ZZZ
IATA Proper Shipping Name
: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail AFI Information

=====
AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label

=====
Product ID: 30522, HYDRAULIC JACK OIL
Cage: 05972
Company Name: LOCTITE CORPORATION
Street: 1001 TROUT

BROOK CROSSING

City: ROCKY HILL CT

Zipcode: 06067-3910

Health Emergency Phone: 860-571-5100

Date Of Label Review: 10/25/2001

Status Code: A

Signal Word: NONE

Health Hazard: None

Contact Hazard: None

Fire Hazard: None

Reactivity Hazard: None

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner what soever expressly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.