View NSN Online: https://aerobasegroup.com/nsn/8030-00-427-2661

ADVANCED CHEMISTRY & TECHNOLOGY -- AC-236 CLASS C BASE -- 8030-00-427-2661

Product ID:AC-236 CLASS C BASE

MSDS Date:04/01/1999

FSC:8030

NIIN:00-427-2661

Status Code:A

MSDS Number: CLPFV === Responsible Party ===

Company Name: ADVANCED CHEMISTRY & TECHNOLOGY

Address:7341 ANACONDA AVE

City: GARDEN GROVE

State:CA

ZIP:92841-2921

Country:US

Info Phone Num:714-373-2837

Emergency Phone Num:800-424-9300 Preparer's Name:ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300

CAGE:1DWR5

=== Contractor Identification ===

Company Name: ADVANCED CHEMISTRY & TECHNOLOGY

Address:7341 ANACONDA AVE Box:City:GARDEN GROVE

State:CA

ZIP:92841-2921 Country:US

Phone:714-373-2837

CAGE:1DWR5

======= Composition/Information on Ingredients ========

Ingred Name: CALCIUM CARBONATE

CAS:471-34-1

RTECS #:FF9335000 Minumum % Wt:10. Maxumum % Wt:25.

Ingred Name:LIMESTONE

CAS:1317-65-

3 RTECS #:EV9580000

Minumum % Wt:10. Maxumum % Wt:25. OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7 RTECS #:XR2275000 Minumum % Wt:1. Maxumum % Wt:5. OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:QUARTZ CAS:14808-60-7 RTECS #:VV7330000 Minumum % Wt:.5 Maxumum % Wt:1. OSHA PEL:SEE TABLE Z-3

ACGIH TLV:0.1 MG/M3

Ingred Name:FORMALDEHYDE CAS:50-00-0

RTECS #:LP8925000

< Wt:.1

OSHA PEL:SEE 1910.1048

ACGIH STEL:C0.37 MG/M3;C0.3 PPM

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:PROPRIETARY

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE CONTACT: MAY CAUSE SLIGHT TO MILD
IRRITATION. SKIN CONTACT: PROLONGED OR REPEATED CONTACT MAY CAUSE
IRRITATION. INHALATION: CAN BE IRRITATION TO EYES, NOSE, AND
RESPIRATORY EXPLOSION HAZARDS: DUR ING A FIRE, IRRITATING AND
HIGHLY TOXIC TRACT. INGESTION: MAY CAUSE NAUSEA, VOMITING, P

AND STOMACH UPSET. Medical Cond Aggravated by Exposure:LUNGS AND RESPIRATORY SYSTEM.
======================================
First Aid:EYE CONTACT: FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.GET MEDICAL ATTENTION IF IRRITATION PERSISTS.SKIN CONTACT: FLUSH WITH WATER.REMOVE CONTAMINATED CLOTHING AND SHOES. GET MEDICAL AT TENTION IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR.IF SYMPTOMS DEVELOP, SEEK IMMEDIATE MEDICAL A TTENTION. IF
NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.INGESTION: SEEK MEDICAL ATTENTION. IMMEDIATELY INDUCE VOMITING, AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
======================================
Flash Point Method:SCC Flash Point:>93.3C, 200.F Extinguishing Media:SMALL FIRES: DRY CHEMICAL, CARBON DIOXIDE, HALON, WATER SPRAY, OR FOAM. LARGE FIRES: WATER SPRAY, FOG OR ALCOHOL FOAM.
Fire Fightin g Procedures:FIRE FIGHTERS AND OTHERS WHO MAY BE EXPOSED TO THE PRODUCTS OF COMBUSTION SHOULD BE EQUIPPED WITH NIOSH APPROVED POSITIVE PRESSURE SELF CONTAINED BREATHING APPARATUS (SCBA) AND FULL PROTECTIVE CLOTHIN G. Unusual Fire/Explosion Hazard:DURING A FIRE, IRRITATING AND HIGHLY TOXIC MAY BE GENERATED DURING COMBUSTION OR DECOMPOSITION.
======== Accidental Release Measures ==========
Spill Release Procedures:EVACUATION: ISOLATE HAZARD AREA. KEEP UNNE CESSARY AND UNPROTECTED PERSONNEL FROM ENTERING. SAFELY STOP DISCHARGE.CONTAIN MATERIAL, AS NECESSARY, WITH A DIKE OR BARRIER. STOP MATERIAL FROM CONTAMINATI NG SOIL, OR FROM ENTERING SEWERS OR BODIES OF WATER. USE SAFETY MEASURES AND PROTECTIVE EQUIPMENT. USE SUPPLIED AIR RESPIRATOR OR SELF-CONTAINED BREATHING APPARATUS IN ENCLOSED SPACES.
========== Handling and Storage ===========
Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILA

AIN,

TED

AREA. TRANSFER: FOLLOW GOOD MANUFACTURING AND HANDLING PRACTICES. Other Precautions:WASH THOROUGHLY AFTER HANDLING, ESPECIALLY BEFORE EATING, DRINKING, SMOKING, USING RESTROOM FACILITIES. WASH CONTAMINATED GOGGLES, FACE SHIELD, AND GLOVES. PROFESSIONALLY LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

====== Exposure Controls/Personal Protection ========

Respiratory Protection:WEAR NIOSH/MSHA APPROVED EQUIPMENT. DETERMINE THE APPROPRIATE TYPE BY CONSULTING RE

SPIRATOR MANUFACTURER. HIGH

AIRBORNE CONCENTRATIONS MAY NECESSITATE THE USE OF SELF-CONTAINED BREATHING APPARATUS (SC BA) OR A SUPPLIED AIR RESPIRATOR. RESPIRATORY PROTECTION PROGRAMS MUST BE IN COMPLIANCE WITH 29 CFR 1910.134.

Ventilation:LOCAL EXHAUST VENTILATION IS RECOMMENDED WHEN VAPORS, MISTS, OR DUSTS CAN BE RELEASED IN EXCESS OF ESTABLISHED AIRBORNE EXPOSURE LIMITS.

Protective Gloves:WEAR PROTECTIVE CLOTHING AND APPROPRIATE IMPERVIOUS GLOVES.

Eye Protection:WE

AR CHEMICAL SPLASH GOGGLES OR SAFETY GLASSES WITH SIDE SHIELDS.

Other Protective Equipment: FOLLOW LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED SINCE EMPTY CONTAINERS MAY RETAIN PRODUCT RESIDUES.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING, ESPECIALLY BEFORE EATING, DRINKING, SMOKING, AND USING RESTROOM GACILITIES.

Supplemental Safety and Health

	Physical/Chemical Properties	===========
--	------------------------------	-------------

Spec Gravity: 1.61

Solubility in Water: INSOLUBLE

Appearan

ce and Odor:OFF-WHITE PASTE, SULFIDE ODOR

Percent Volatiles by Volume:97%

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

OXIDIZERS, REDUCERS, ACIDS.

Hazardous Decomposition Products:SMOKE, SOOT, TOXIC/IRRITATING FUMES, CARBON DIOXIDE, CARBON MONOXIDE, FORMALDEHYDE, ALDEHYDES, OXIDES OF SULFUR, HYDROGEN SULFIDE.

Conditions to Avoid Polymerization: WILL NOOCCUR.

======== Toxicological Information =========

particular situation.

- Toxicological Information:CALCIUM CARBONATE AND LIMESTONE: REPEATED EXPOSURE TO DUSTS CAN LEAD TO PARTICULATE DEPOSITION IN THE LUNGS. CAN CONTAIN TRACE AMOUNTS OF CRYSTALLINE SILICA AS AN IMPURITY. TITANIUM DIOXIDE: IN A 2 YE AR STUDY IN RATS, AN INCREASE IN BENIGN AND MALIGNANT LUNG TUMORS WERE OBSERVED AT 250 MG/M3 RESPIRABLE DUST. THIS LEVEL IS 50 TIMES THE CURRENT OCCUPATIONAL EXPOSURE LIMIT AND IS NOT EXPECTED TO CORR ELATE TO HUMAN EXPOSURES. QUARTZ: CHRON
- IC EXPOSURE TO DUSTS CAN CAUSE SILICOSIS. STUDIES INDICATE THAT LUNG CANCER IS MORE PREVALENT IN INDIVIDUALS AFFECTED WITH SILICOSIS. FORMALDEHYDE: SEVERELY IRRI TATING TO EYES, SKIN AND RESPIRATORY.

	Disposal Consid	derations	
--	-----------------	-----------	--

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by eleme nts of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their