View NSN Online: https://aerobasegroup.com/nsn/8030-00-097-9088 FIBER MATERIALS INC -- FLEXFRAM 605 PART A -- 8030-00-097-9088 ============= Product Identification ======================== Product ID:FLEXFRAM 605 PART A MSDS Date:08/01/1998 FSC:8030 NIIN:00-097-9088 Status Code:A Kit Part:Y MSDS Number: CLPGK === Responsible Party === Company Name: FIBER MATERIALS INC Address:BIDDEFORD INDUSTRIAL PARK City:BIDDEFORD State:ME ZIP:04005 Country:US Info Phone Num:207-282-5911 **Emergency Pho** ne Num:800-535-5053 Preparer's Name: ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300 CAGE:62500 === Contractor Identification === Company Name: FIBER MATERIALS INC Address:BIDDEFORD INDUSTRIAL PARK Box:City:BIDDEFORD State:ME ZIP:04005 Country:US Phone:207-282-5911 CAGE:62500 ======= Composition/Information on Ingredients ======== Ingred Name:TETA CAS:112-24-3

============= Hazards Identification ========================

RTECS #:YE6650000

Routes of Entry: Inhalation:

= Wt:7.

YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:MAY CAUSE SKIN BURNS, ALLERGIC SKIN
REACTIONS. INGESTION MAY CAUSE BURNS OF MOUTH AND THROAT. MAY CAUSE
RESPIRATORY SENSITIZATION IN SUSCEPIBLE INDIVIDUALS OR THROAT
IRRITATION.
Effects of Overexposure:PRIMARY IRRITATION OF SKIN ON PROLONGED
CONTACT IRRITATING TO THE EYES MAY CALISE SEVERE IRRITATION WITH

CORNEAL INJURY, EVEN BLINDNESS.

Medical Cond Aggravated by Exposure:ALLERGIC AND/OR OTHER RESPIRATORY

COND

ITIONS.

|--|--|--|

First Aid:REMOVE TO FRESH AIR. GET MEDICAL HELP. EYES: FLUSH THOROUGHLY WITH WATER FOR 30 MINUTES.GET MEDICAL HELP IMMEDIATELY. SKIN: WASH WITH SOAP AND WATER. INGESTION: INDUCE VOMITING AND CALL PHYSICIAN IMME DIATELY.

Flash Point Method:COC

Flash Point:=157.2C, 315.F

Extinguishing Media:DRY CHEMICAL OR CO2.

Fire Fighting Procedures:FO

R LARGE FIRES, USE WATER SPRAY, FOG, OR FOAM. DIKE WATER RUN-OFF. PREVENT ENTRY INTO SEWERS OR NATURAL WATERS FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:TOXIC FUMES WILL BE EVOLVED IF UNMIXED MATERIL IS INVOLVED IN A FIRE. WEAR SELF CONTAINED BREATHING APPARATUS.

======== Accidental Release Measures ==========

Spill Release Procedures:DIKE. WEAR APPROVED RESPIRATORY PROTECTION AND OTHER PROTECTIVE EQUIPMENT AS NECESSARY TO PREVENT SKIN AN D EYE

CONTACT. IF WARM, REMOVE LIQUID BY PUMPING INTO SALVAGE DRUMS. IF COOL AND NON-PUMPABLE, REMOVE BY SHOVELING AND SCRAPING INTO SALVAGE DRUMS. SOAK UP RESIDUE AND SMALL SPILLS WITH ABSORBENT MATERIAL SUCH AS CLAY AND PUT INTO TIGHT CONTAINER. GUARD AGAINST FIRE HAZARDS IF SOLVENTS ARE USE

============ Handling and Storage ======================

Handling and Storage Precautions: STORE IN TIGHT, STURDY CONTAINERS.
HANDLE IN ACCORDANCE WITH HAZARD POTENTIA

L.
Other Precautions:REMOVE CONTAMINATED CLOTHING AND PROTECTIVE GEAR.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH APPROVED RESPIRATORY WITH ORGANIC VAPOR CARTRIDGE. Ventilation:LOCAL EXHAUST.
Eye Protection:GOGGLES OR FACE SHIELD. Other Protective Equipment:AS NECESSARY TO PREVENT BODY CONTACT. Work Hygienic Practices:AVOID SMOKING, EATING AND DRINKING IN THE WORK AREA.
Supplemental Safety and Health
========= Physical/Ch emical Properties ==========
Boiling Pt:=315.6C, 600.F Vapor Pres:.01@70 F Vapor Density:9 Spec Gravity:1.201 Solubility in Water:SLIGHT Appearance and Odor:BLACK VISCOUS LIQUID-MERCAPTAN ODOR
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG ACIDS, CHLORINATED ORGANIC COMPOUNDS. Stability Condition to Avoid:REACTS WITH CONSIDERABLE HEAT WITH HOT RESINS. Hazardous Decomposition Products:C
O2, ALDEHYDES, ACIDS, NO2, SO2. Conditions to Avoid Polymerization:WILL NOT OCCUR.
======= Disposal Considerations ==========
Waste Disposal Methods:SMALL AND LARGE SPILL: DISPOSE OF IN A LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
========== Other Information =============
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of

Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.