

B & B TRITECH, INC. -- B&B 1567C -- 8010-01-017-6934

=====  
Product Identification  
=====

Product ID:B&B 1567C  
MSDS Date:04/14/2000  
FSC:8010  
NIIN:01-017-6934  
Status Code:A  
MSDS Number: CLPTJ  
=== Responsible Party ===  
Company Name:B & B TRITECH, INC.  
Address:875 WEST 20TH. STREET,  
City:HIALEAH  
State:FL  
ZIP:33010-2310  
Country:US  
Info Phone Num:305-888-5247  
Emergency Phone Num:305-888-5247  
Preparer's  
Name:ERNEST CARTER  
Chemtrec Ind/Phone:(800)424-9300  
CAGE:21361

==== Contractor Identification ====

Company Name:B & B TRITECH, INC.  
Address:875 WEST 20TH. STREET,  
Box:City:HIALEAH  
State:FL  
ZIP:33010-2310  
Country:US  
Phone:305-888-5247  
CAGE:21361

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DICHLOROMETHANE (METHYLENE CHLORIDE)  
&lt; Wt:57.

Ingred Name:PHENOL  
&lt; Wt:15.

Ingred Name:SODIUM CHROMATE  
&lt; Wt:1.

=====  
Hazards Identification  
=====

=====

Reports of Carcinogenicity:NTP:YES IARC:YES

Health Hazards Acute and Chronic:INHALATION: OVEREXPOSURE MAY CAUSE DIZZINESS, HEADACHE, NAUSEA, CENTRAL NERVOUS SYSTEM DEPRESSION, LIVER, KIDNEY DAMAGE. SKIN:INITIAL CONTACT PRODUCES A WHITE WRINKLED DISCOLORATION YIELDING SERIOUS BURNS OR SYSTEMIC POISONING IF NOT REMOVED PROMPTLY. EYES: BURNS, DAMAGE.

Explanation of Carcinogenicity:NTP-(ANIMAL CARCINOGEN) IARC-(SUFFICIENT EVIDENCE ANIMAL CARCINOGEN).

Medica

I Cond Aggravated by Exposure:

===== First Aid Measures =====

First Aid:INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. DERMAL: FLUSH WITH SOAP AND WATER. GET MDEICAL ATTENTION. EYE CONTACT: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTEN TION. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

=====

Flash Point Method:COC

Extinguishing Media:FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedures:FULL FIREFIGHTERS EQUIPMENT.

Unusual Fire/Explosion Hazard:TOXIC AND ACIDIC VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP OR SCOOP UP AND REMOVE OTHER INDUSTRIAL VACUUM. AVOID OPEN FLAMES. AVOID CONTACT WITH SKIN&EYES. AVOID BREATHING VAPOR. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

=====

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILTED AREA. KEEP DRUMS CLOSED WHEN NOT IN USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN PERMISSIBLE EXPOSURE LIMIT MAY BE EXCEEDED USE NIOSH APPROVED AIR-PURIFYING RESPIRATORS OR USE NIOSH APPROVED AIR FURIFING RESPIRATOR FOR ORGANIC VAPORS IN ACCORDANCE WITH OSHA 29 CFR 1910.134.

Ventilation:DO NOT USE IN

CLOSED OR CONFINED SPACES.

Protective Gloves:CHEMICAL GLOVES.

Eye Protection:SAFETY GLASSES FACE GOGGLES FACE SHIELD.

Other Protective Equipment:FULL CHEMICAL AND ACID SUIT CHEMICAL BOOTS.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt.=37.8C, 100.F

Spec Gravity:1.18

Evaporation Rate & Reference:SLOWER

Solubility in Water:PARTIAL

Appearance and Odor:YELLOW VISCOUS LIQUID-CHLORINATED SOLVENT ODOR

===== Stability  
and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZERS-STRONG ALKALIES.

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY YIELD  
HYDROGEN CHLORIDE, PHOSGENE (SMALL AMOUNT).

Conditions to Avoid Polymerization:WILL NOT OCCUR.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or i

mplyed, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.