View NSN Online: https://aerobasegroup.com/nsn/7930-01-381-3359

DRACKETT CO -- INSTITUTIONAL FORMULA WINDEX GLASS CLEANER-PROFESSIONAL 7930-01-381-3359

============= Product Identification ==================

Product ID: INSTITUTIONAL FORMULA WINDEX GLASS CLEANER-PROFESSIONAL

MSDS Date:01/06/1989

FSC:7930

NIIN:01-381-3359

Status Code:A

MSDS Number: CLQMV === Responsible Party ===

Company Name: DRACKETT CO Address: 5020 SPRING GROVE AVE

City:CINCINNATI

State:OH

ZIP:45232-1926

Count ry:US

Info Phone Num:513-632-7409

Emergency Phone Num:513-632-1500 Preparer's Name:ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300

CAGE:85234

=== Contractor Identification ===
Company Name:DRACKETT CO
Address:5020 SPRING GROVE AVE

Box:City:CINCINNATI

State:OH

ZIP:45232-1926 Country:US

Phone:513-632-7409

CAGE:85234

======= Composition/Information on Ingredients ========

Ingred Name: ISOPROPYL ALCOHOL

CAS:67-63-0

RTECS #:NT8050000

< Wt:4.

OSHA PEL:980 MG/M3;400 PPM

ACGIH TLV:983 MG

Ingred Name:2-BUTOXYETHANOL CAS:111-76-2 RTECS #:KJ8575000 < Wt:3. OSHA PEL:240 MG/M3;50 PPM
ACGIH TLV:121 MG/M3;25 PPM
======================================
Effects of Overexposure:EYE CONTACT: SENSATION OF IRRITATION.
======================================
First Aid:FLUSH EYES OR SKIN WITH WATER. IF INGESTED: DRINK MILK OR WATER FREELY.
======================================
Flash Point Method:SCC Flash Point:=53.9C, 129.F Extinguishing Media:IF INVOLVED IN FIRE, USE WATER, DRY ALCOHOL-TYPE OR ALL PURPOSE FOAM, DRY CHEMICAL, CARBON DIOXIDE OR OTHER CLASS B EXTINGUISHING AGENTS. Fire Fighting Procedures:FULL PROTECTIVE EQUIPMENT, INCLUDING PRESSURE DEMAND SELF CONTAINED BREATHING APPARATUS AND TURNOUT EQUIPMEN SHOULD BE WORN BY FIREFIGHTERS AND OTHERS EXPOSED TO COMBUSTION BY-PRODUCTS.
========= Accidental R elease Measures ====================================
Spill Release Procedures:IN CASE OF SPILL OR LEAK FLUSH AREA WITH WATER. KEEP OUT OF WATERSHEDS AND WATER SYSTEMS.
======================================
Other Precautions:UNPLUG ELECTRICAL APPLIANCES BEFORE USING PRODUCT OF THEM.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT REQUIRED WHEN USED ACCORDING TO LABEL INSTRUCTIONS. Ventilation:NOT REQUIRED WHEN USED ACCOR

/M3;400 PPM

ACGIH STEL:1230 MG/M3;500 PPM

DING TO LABEL INSTRUCTIONS. Protective Gloves: NOT REQ'D WHEN USED ACCORDING TO LABEL Eye Protection: NOT REQ'D WHEN USED ACCORDING TO LABEL Other Protective Equipment: NOT REQUIRED WHEN USED ACCORDING TO LABEL INSTRUCTIONS. Work Hygienic Practices: NOT REQUIRED WHEN USED ACCORDING TO LABEL INSTRUCTIONS. Supplemental Safety and Health ======== Physical/Chemical Properties =============== Boiling Pt:=100.C, 212.F Vapor Pres:17.7 Vapor Density:1.2 Spec Gravity:0.99 pH:11 Evapo ration Rate & amp; Reference: 0.3 Solubility in Water:100% Appearance and Odor: CLEAR BLUE LIQUID WITH SLIGHT AMMONIA ODOR ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:NONE

====== Disposal Considerations ==========

Waste Disposal Methods:DISPOSE ONLY IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.