View NSN Online: https://aerobasegroup.com/nsn/8040-01-043-3196

MACKLANBURG-DUNCAN -- 8245A-VPI 100 EPOXY ADHESIVE PART "A" -- 8040-01-043-3196

============ Product Identification ==============

Product ID:8245A-VPI 100 EPOXY ADHESIVE PART "A"

MSDS Date:09/28/1998

FSC:8040

NIIN:01-043-3196

Status Code:A

MSDS Number: CLQZJ === Responsible Party ===

Company Name: MACKLANBURG-DUNCAN

Address:4041 N SANTA FE City:OKLAHOMA CITY

State:OK

ZIP:73118-0188

Country:US

Info Phone Num:800-

654-8454 / 405-528-4411 Emergency Phone Num:1-800-424-9300

Preparer's Name: ERNEST CARTER Chemtrec Ind/Phone: (800)424-9300

CAGE:82464

=== Contractor Identification ===

Company Name: MACKLANBURG-DUNCAN

Address:4041 N SANTA FE Box:City:OKLAHOMA CITY

State:OK

ZIP:73118-0188

Country:US

Phone:800-654-8454 / 405-528-4411

CAGE:82464

======= Composition/Information on Ingredients ========

Ingred Name: EPICHLOROHYDRIN BISPHENOL A RESIN

CAS:25036-25-3

Code:F

Minumum % Wt:40. Maxumum % Wt:50.

Ingred Name:ISOPROPYL ALCOHOL CAS:67-63-0 RTECS #:NT8050000 Minumum % Wt:1. Maxumum % Wt:5. OSHA PEL:980 MG/M3;400 PPM ACGIH TLV:983 MG/M3;500 PPM ACGIH STEL:1230 MG/M3;500 PPM
Ingred Name:ETHYLENE GLYCOL MONOPROPYL ETHER CAS:2807-30-9 RTECS #:KM2800000 Minumum % Wt:1. Maxumum % Wt:5.
========= Hazards Identification ===========
Health Hazards Acute and Chronic:CHRONIC: PROLONGED OR REPEATED SKIN CONTACT MAY BE IRRITATION. ACUTE: INHALATION OF HIGH VAPOR CONCEN
TRATIONS MAY HAVE RESULTS RANGING FROM DIZZINESS AND HEADACHE TO UNCONSCIOUSNESS, AS WELL AS IRRITA TION OF THE REPIRATORY TRACT. ROUTES OF ENTRY ARE INHALATION AND SKIN. VAPORS MAY IRRITATE EYES, NOSE & THROAT.
Effects of Overexposure:VAPORS MAY IRRITATE EYES, NOSE & THROAT.
======================================
First Aid:SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. TAKE TO PHYSICIAN FOR DEFINITIVE M
EDICAL TREATMENT. INGESTION: TREAT SYMPTOMATICALLY AND CONTACT A PHYSICIAN. IN HALATION: IF OVERCOME BY VAPORS, REMOVE FROM EXPOSURE, RESTORE BREATHING, KEEP INDIVIDUAL CALM. CALL A PHYSICIAN.
======================================
Flash Point Method:SCC Flash Point:=27.8C, 82.F Lower Limits:2 Upper Limits:12 Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, OR FOAM. Fire Fighting Procedures:WATER SPRAY MAY BE INEFFECTIVE. WATER MAY BE USED TO COOL

CLOSED CONTAINERS TO PREVENT PRESSURE BUILDUP AND POSSIBLE AUTO-IGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT. FOG NOZZLES ARE PREFERRED IF WATER IS USED. Unusual Fire/Explosion Hazard: KEEP CONTAINERS CLOSED EXCEPT WHEN IN USE. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. DO NOT USE IN VICINITY OF OPEN FLAME OR SPARKS. EXTINGUISH ALL PILOT LIGHTS AND ALL SOURCES OF I GNITION. ======== Accidental Release Measures =========== Spill R elease Procedures: SCRAPE INTO CONTAINERS FOR DISPOSAL. ============= Handling and Storage ================= Handling and Storage Precautions: DO NOT STORE ABOVE 120 F. VAPORS MAY IGNITE EXPLOSIVELY. PREVENT BUILDUP OF VAPORS. KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME. AVOID PROLONGED BREATHING OF VAPORS AND REPEATED CONTACT WITH SKIN. Other Precautions: KEEP OUT OF THE REACH OF CHILDREN! ====== Exposure Controls/Personal Protection ======== Respirato ry Protection: NONE REQUIRED WITH ADEQUATE VENTILATION. Ventilation: USE GENERAL/LOCAL EXHAUST TO PREVENT BUILDUP OF VAPORS. Protective Gloves: NONE REQUIRED Eye Protection: NORMAL PRECAUTIONS. Work Hygienic Practices: GOOD GENERAL CLEANLINESS AND HYGIENE. Supplemental Safety and Health ======== Physical/Chemical Properties ============ Boiling Pt:=82.2C, 180.F Vapor Pres:33 AT 68 DEGREES Vapor Density:>1 Evaporation Rate & Evaporation R Solubility in Water:NONE Appearance and Odor:WHITE MEDIUM PASTE, MILD CHARACTERISTIC ODOR ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIALS. Stability Condition to Avoid: HEAT AND OPEN FLAME. Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY PRODUCE CARBON MONOXIDE AND CARBON DIOXIDE, AS WELL AS ORGANIC COMPOUNDS OF UNKNOWN STRUCTURE.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

===== Disposal Considerations =====

===========

Waste Disposal Methods:DISPOSE OF ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.