View NSN Online: https://aerobasegroup.com/nsn/6665-01-250-4814

Product ID: ATOMIC ABSORPTION ANALYSIS KIT MSDS Date:06/10/1999 FSC:6665 NIIN:01-250-4814 Status Code:A MSDS Number: CLRGV === Responsible Party === Company Name: SIRCHIE FINGER PRINT LABORATORIES INC Address:100 HUNTER PLACE City:YOUNGSVILLE State:NC ZIP:27596 Country:US Т nfo Phone Num:919-554-2244 Emergency Phone Num:919-554-2244 Resp. Party Other MSDS Num.: AAA100 CAGE:94514 === Contractor Identification === Company Name: ASHLAND CHEMICAL CO Box:2219 City:COLUMBUS State:OH ZIP:43216-2219 Country:US Phone:614-790-3333/800-274-5263 CAGE:34897 Company Name: SIRCHIE FINGER PRINT LABORATORIES INC Address:100 HUNTER PLACE Box:City:YOUNGSVILLE State:NC ZIP:27596 Country:US Phone:919-554-2244 Contract Num:DLA400-88-P-D132 CAGE:94514 Company Name: SIRCHIE FINGER PRINT LABOR

ATORIES INC Address:100 HUNTER PLACE Box:City:YOUNGSVILLE State:NC ZIP:27596 Country:US Phone:919-554-2244 Contract Num:DLA400-88-P-D671 CAGE:94514

Ingred Name:NITRIC ACID CAS:7697-37-2 RTECS #:QU5775000 = Wt:7. OSHA PEL:5 MG/M3;2 PPM ACGIH TLV:5.2 MG/M3;2 PPM ACGIH STEL:10 MG/M3;4 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 = Wt:93.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:ACUTE: SEVERE EYE INJURY, SKIN BURNS, GASTROINTESTINAL BURNS. CHRONIC: CHRONIC BRONCHITIS, EROSION OF TEETH.

Effects of Overexposure:INHALATION: BURNING PAIN IN THE NOSE AND THROAT, COUGHING, WHEEZING, SHORTNESS OF BREATH, PULMONARY EDEMA. EFFECTS MAY BE DELAYED.

Medical Cond Aggravated by Exposure:SKIN, EYE, RESPIRATORY DISEASES.

====== Firs

First Aid:INHALATION: MOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN (BY QUALIFIED MEDICAL PERSONNEL ONLY!) GET MEDICAL ATTENTION. INGESTION: DO NOT INDU CE VOMITING. IF VICTIM IS CONSCIOUS AND ALERT, GIVE 2-4 CUPS OF MILK OR WATER. (NEVER GIVE ANYTHING BYMOUTH TO AN UNSCONSCIOUS PERSON!) GET MEDICAL ATTENTION. SKIN: FLUSH WITH SOAP AND WATER FOR 15 MI NUTES. REMOVE CONTAMINA

TED CLOTHING. SEEK MEDICAL ATTENTION. EYES: FLUSH: WITH WATER FOR 15 MINUTES, LIFTING UPPER AND LOWER LIDS. DO NOT ALLOW VICTIM TO RUB OR KEEP EYES CLOSED. GET MEDICAL ATTENTION.

Flash Point:NE
Lower Limits:NE
Upper Limits:NE
Extinguishing Media:USE PROPER EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING FIRE.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. WATER MAY
BE USED TO COOL FIRE-EXPOSED CONTAINERS.

Spill Release Procedures:WEAR VAPOR RESPIRATOR, SAFETY GOGGLES, AND RUBBER GLOVES. REMOVE SOURCES OF IGNITION (I.E. OPEN FLAMES, SPARKS). NEUTRALIZE SPILL WITH SODIUM BICARBONATE. SOAK UP WITH INERT ABSORBENT MATERIAL (DRY SA ND OR EARTH RECOMMENDED; DO NOT USE FLAMMABLE SUBSTANCES SUCH AS SAWDUST). DISPOSE ACCORDING TO LOCAL, STATE, AND FEDERAL REGULATIONS.

Neut

ralizing Agent:SODIUM BICARBONATE.

Handling and Storage Precautions: KEEP IN TIGHTLY CLOSED CONTAINER. KEEP COOL AND DRY. AVOID INCOMPATIBLE MATERIALS. USE ONLY IN WELL-VENTILATED AREAS. AVOID CONTACT WITH SKIN, EYES, AND CLOTHING. DO NOT INGEST OR INHALE. WASH THOROUG HLY AFTER HANDLING.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:VAPOR RESPIRATOR. Ventilation:USE ON LY IN WELL-VENTILATED AREAS. Protective Gloves:WEAR SAFETY GLOVES. Eye Protection:WEAR SAFETY GOGGLES. Other Protective Equipment:WEAR PROTECTIVE CLOTHING. Supplemental Safety and Health

HCC:C1 Boiling Pt:=-135.4C, -212.F Melt/Freeze Pt:=-35.4C, -32.F Vapor Pres:(MMHG):NE Vapor Density:(AIR=1)NE Evaporation Rate & amp; Reference:NE Solubility in Water:SOLUBLE Appearance and Odor:CLEAR LIQUID; ACRID ODOR.

====== St

Stability Indicator/Materials to Avoid:NO

IGNITION SOURCES (HEAT, OPEN FLAME, SPARK), MOISTURE, REDUCING AGENTS, AIR, LIGHT,ORGANIC MATTER, COMBUSTIBLES. NITRIC ACID REACTS WITH OVER 150 CHEMICAL COMBINATIONS. REFER TO THE NFPA FIRE PROTECTION GUIDE FOR NITRIC ACID
Stability Condition to Avoid:DECOMPOSES WHEN IN CONTACT WITH AIR, LIGHT, OR ORGANIC MATTER.
Hazardous Decomposition Products:NITROGEN OXIDES.
Conditions to Avoid Polymeri zation:HAS NOT BEEN REPORTED.

Ecological:PREVENT FROM ENTERING SEWERS OR WATERWAYS. MAY BE TOXIC TO SOME AQUATIC LIFE. NITRIC ACID IS LISTED ON THE EPA EXTREMELY HAZARDOUS SUBSTANCES (EHS) LIST.

Waste Disposal Methods:DISPOSE ACCORDING TO LOCAL, STATE, AND FEDERAL REGULATIONS.

Transport Information: KEEP IN TIGHTLY CLOSED CONTAINER. KEEP COOL AND DRY. AVOID INCOMPATIBLE MATERIALS. AVOID CONTACT WITH SKIN, EYES, AND CLOTHING. DO NOT INGEST OR INHALE. WASH THOROUGHLY AFTER HANDLING. IATA: SHIPPING NAME NITRIC ACID; HAZARD CLASS: 8; UN 2031; PACKING GROUP: I I; CORROSIVE ! UNIT OF ISSUE IS BOX CONTAINING TEN 3 ML CONTAINERS OF 7% NITRIC ACID IN WATER.

SARA Title III Information:
THIS MATERIAL IS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE I I I AND 40 CFR PART 373.
Federal Regulatory Information: ALL INGREDIENTS ARE LISTED ON THE TSCA INVENTORY. NITRIC ACID IS LISTED AS A HAZARDOUS SUBSTANCE UNDER THE CLEAN WATER ACT. NITRIC ACID IS CONSIDERED HIGHLY HAZARDOUS BY OSHA.

Disclaimer (provided with this information by the compiling agencies): This information is formulat ed for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.