View NSN Online: https://aerobasegroup.com/nsn/9620-00-233-6712

SUPERIOR GRAPHITE CO. -- NATURAL GRAPHITE -- 9620-00-233-6712

Product ID:NATURAL GRAPHITE MSDS Date:01/20/1999 FSC:9620 NIIN:00-233-6712 Status Code:A MSDS Number: CLRNS === Responsible Party === Company Name: SUPERIOR GRAPHITE CO. Address:10 S RIVERSIDE PLAZA City:CHICAGO State:IL ZIP:60606-3913 Country:US Info Phone Num:312-559-2999/502-885-7186 **Emergency Phone** Num:502-885-7186 Preparer's Name: ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300 CAGE:06705 === Contractor Identification === Company Name: SUPERIOR GRAPHITE CO. Address:10 S RIVERSIDE PLAZA Box:City:CHICAGO State:IL ZIP:60606-3913 Country:US Phone:312-559-2999/502-885-7186 CAGE:06705

Ingred Name:GRAPHITE CAS:7782-42-5 RTECS #:MD9659600 OSHA PEL:SEE TABLE Z-3 ACGIH TLV:2 MG/M3

Ingred Name:ROCK CRYSTAL CAS:14808-60-7 RTECS #:V V7330000 OSHA PEL:SEE TABLE Z-3 ACGIH TLV:0.1 MG/M3

	Hazards Identification	
Routes of Entry: Inhalation:Y	ES Skin:NO Ingestio	n:YES

Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO
Health Hazards Acute and Chronic:INHALATION OF DUST MAY RESULT IN INHALATION OF MUCOUS MEMBRANES. LONG TERM INHALATION MAY RESULT IN SILICOSIS OR PNEUMONIOSIS.
Effects of Overexposure:NOT KNOWN OTHER THAN THAT MENTIONED IN THE HEALTH HAZARDS.
Medical Con
d Aggravated by Exposure:NO MEDICAL CONDITIONS ARE KNOWN TO

BE AGGRAVATED BY EXPOSURE: NO MEDICAL CONDITIONS ARE KNOWN TO BE AGGRAVATED BY EXPOSURE: NO MEDICAL CONDITIONS ARE KNOWN TO BE AGGRAVATED BY THIS PRODUCT.

First Aid:EYES: FLUSH THOROUGHLY WITH WATER FOR 15 MINUTES, GET MEDICAL ATTENTION. SKIN: WASH EXPOSED SKIN WITH SOAP AND WATER, IF IRRITATION PERSISTS GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. G ET MEDICAL ATTENTION. INHALATION: REMOVE TO F RESH AIR

AREA. IF BREATHING BECOMES DIFFICULT, GET MEDICAL ATTENTION.

Extinguishing Media:WATER, CARBON DIOXIDE, FOAM OR DRY CHEMICAL. Fire Fighting Procedures:WEAR NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS TO FIGHT A FIRE INVOLVING THIS MATERIAL.

Spill Release Procedures:CAREFULLY SWEEP UP MATERIAL AND WASH FLOOR WITH SOAP AND WATER, C ONTAINERS FOR SOILD WASTE DISPOSAL.

Handling and Storage Precautions: KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE, GRAPHITE CAUSES SLIPPERY CONDITIONS, GRAPHITE, BEING CONDUCTIVE, CAN CAUSE SHORT CIRCUITS AND OTHER ELECTRICAL MALFUNCTIONS.

Respiratory Protection:USE NIOSH/MSHA APPROVED MASK FOR CHEMICAL PRODUCTS IF ACGIH, OSHA AND/OR TWA L IMITS WILL BE EXCEEDED.
Ventilation:LOCAL EXHAUST MECHANICAL (GENERAL)
Protective Gloves:USE COTTON GLOVES, SAFETY SHOWER SHOULD BE AVAILABLE.
Eye Protection:SAFETY GLASSES, GOGGLES OR FACE SHIELD. EYE WASH STATION SHOULD BE AVAILABLE.
Work Hygienic Practices:WASH EXPOSED SKIN WITH SOAP AND WATER AFETR HANDLING THIS PRODUCT.
Supplemental Safety and Health

Spec Gravity:2.25 Solubility in Water:INSOLUBLE Appearance and Odor:SOILD GRAY.

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, ACIDS AND ALKALIS.
Hazardous Decomposition Products:ON BURNING, MAY RELEASE CARBON DIOXIDE AND CARBON MONOXIDE.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the su itability of this information to their particular situation.