View NSN Online: https://aerobasegroup.com/nsn/8030-00-753-5005

PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY -- PR-1440 B-2 BASE COMPOUND -- 8030-00-753-5005

============= Product Identification =================

Product ID:PR-1440 B-2 BASE COMPOUND

MSDS Date:08/19/1997

FSC:8030

NIIN:00-753-5005 Status Code:A

MSDS Number: CLRNX === Responsible Party ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800 City:GLEN DALE State:CA ZIP:91209 Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-228-5635 Preparer's Name:ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300

CAGE:83574

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

======= Composition/Information on Ingredients ========

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000 & lt; Wt:5.

OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name: NATURAL CALCIUM CARBONATE

CAS:1317-65-3

RTECS #:EV9580000

= Wt:30.

OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name: TOLUENE

CAS:108-88-3

RTECS #:XS5250000

< Wt:1.

OSHA PEL:SEE TABLE Z-2 ACGIH TLV:188 MG/M3;50 PPM

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:PROPANE, 1,2,3-TRICHLORO-, POLYMER WITH 1,1'-.(.METHYLENEBIS(OXY).).BIS.(.2-CHLOROETHANE.). AND SODIUM SULFIDE (NA2(SX)), REDUCED

CAS:68611-5

0-7

========== Hazards Identification ===============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:EYES: MAY CAUSE BURNING, TEARING AND REDDENING. SKIN: PROLONGED EXPOSURE MAY CAUSE DRYING AND CRACKING OF SKIN, AND POSSIBLE DERMATITIS. INHALATION: MAY CAUSE DIZZINESS, DROWSINESS AND FATIGUE. MAY CA USE LIVER AND KIDNEY DAMAGE. INGESTION: MAY CAUSE DROWSINESS, DIZZINESS AND NAUSEA. EFFECTS OF LONG TERM (CHRONIC)

EXPOSURE MAY CAUSE DISTURBANCE IN MEMORY, THINKING ABILITY, EMOTIONS AND COORDINATION .

Medical Cond Aggravated by Exposure:

First Aid:EYES: FLUSH WITH WATER, IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, CONSUL T A PHYSICIAN. INGESTION: DRINK LARGE AMOUNTS OF WATER; INDUCE VOMITING;

======================================
Flash Point:=93.3C, 200.F Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY. Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR.
========== Accidental Release Measures ==========
Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN UP RESIDUE WITH A SUITABLE SOLVENT.
=========== Handling and Storage ============
Handling and Storage Pre cautions:WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. AVOID INGESTION.
====== Exposure Controls/Personal Protection ========
Ventilation:GENERAL VENTILATION. Protective Gloves:SOLVENT RESISTANT GLOVES. Eye Protection:SAFETY GLASSES. Supplemental Safety and Health
========= Physical/Chemical Properties =========
Boiling Pt:B.P. Text:230-482 DEG.F Vapor Density:HEAVIER Spec Gravity:1.571 VOC Pounds/Gallon:35 Evaporation Rate & DEG.F SLOWER THAN N-BUTYL ACETA Appearance and Odor:BEIGE THIXOTROPIC PASTE. Percent Volatiles by Volume:3.1%
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:OXIDES OF CARBON, SULFUR DIOXIDE, TRACES OF HYDROGEN SULFIDE. Conditions to Avoid Polymerization:WILL NOT OCCUR.
====== Disposal Considerations ==========
Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA

CONSULT A PHYSICIAN.

REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF SPILLAGE.

=========== Other Information ===============

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document

should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.