

LOCTITE CORPORATION -- RETAINING COMPOUND 620 HIGH TEMPERATURE

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 01-268-5917
MSDS Date: 12/09/1998
MSDS Num: CLRPV
Product ID: RETAINING COMPOUND 620 HIGH TEMPERATURE
MFN: 01
Responsible Party
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
C
City: ROCKY HILL CT 06067-3910
Info Phone Number: 860-571-5100
Emergency Phone Number: 860-571-5100
Preparer's Name: ERNEST CARTER
Chemtrec IND/Phone: (800)424-9300
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100

=====
Item Description Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: BT
Quantitative Expression: 00000000050CC
UI Container Qty: B

=====
Ingredients
=====

Cas: 114-83-0
RTECS #: AJ2900000
Name: 1-ACETYL-2-PHENYLHYDRAZINE
% low Wt: .1
% high Wt: 1.

Cas: 613-48-9
Name: N,N-DIETHYL-P-TOLUI

DINE
% low Wt: .1
% high Wt: 1.

Cas: 110-16-7
RTECS #: OM9625000
Name: MALEIC ACID
% low Wt: .1
% high Wt: 1.
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Cas: 81-07-2
RTECS #: DE4200000
Name: SACCHARINE
% low Wt: .1
% high Wt: 1.
EPA Rpt Qty: 100 LBS
DOT Rpt Qty: 100 LBS

Cas: 112945-52-5
RTECS #: VV7310000
Name: SILICA, AMORPHOUS, FUMED, CRYST.-FREE
% low Wt: 1.
% high Wt: 3.

--
Cas: 24448-20-2
Name: BISPHENOL A BIS(2-HYDROXYETHYL ETHER) DIMETHACRYLATE
% low Wt: 75.
% high Wt: 80.

Cas: 3006-93-7
RTECS #: ON6125000
Name: MALEIMIDE, N,N'-M-PHENYLENEDI-
% low Wt: 10.
% high Wt: 15.

Cas: 80-15-9
RTECS #: MX2450000
Name: CUMENE HYDROPEROXIDE
% low Wt: 1.
% high Wt: 3.
EPA Rpt Qty: 10 LBS
DOT Rpt Qty: 10 LBS

Cas: 27813-02-1
Name: 1,2-PROPANEDIOL, MONOMETHACRYLATE
% low Wt: 1.
% hig

h Wt: 3.

=====
Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYE IRRITANT. THE HYDROXYALKYL METHACRYLATE IS A POSSIBLE INHALATION IRRITANT AND MAY BE HARMFUL IF SWALLOWED. IT MAY CAUSE KIDNEY OR LIVER DAMAGE. SKIN. EYE CONTACT.

Signs And Symptions Of Overexposure: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INIDVIDUALS.

Medical Cond Aggravated By Exposure: MALEMIDE RESIN: DERMATITIS.

First Aid: INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, OBTAIN MEDICAL ATTENTION. SKIN CONTACT: WASH WITH SOAP AND WAT ER. EYE CONTACT: FLUSH AT LEAST 15 MINUTES WITH WATER. OBTAIN MEDICAL ATTENTION.

=====
Handling and Disposal
=====

Spill Release Procedures: SOAK UP IN AN INERT ABSORBENT. STORE IN PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

Waste Disposal Methods: INCINERATE FOLLOWING EPA AND LOCAL REGULATIONS.

Handling And Storage Precautions: STORE BELOW 100 F. SERVICE 1-800-243-4874 FOR SHELF LIFE INFORMATION) AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM EYES.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point: >93.3C, 200.F

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.

=====
Control Measures
=====

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR WITH ORGANIC CARTRIDGE.

Ventilation: LOCAL VENTILATION MAY BE DESIRED.

Protective Gloves: RUBBER OR PLASTIC GLOVES.

Eye Protection: SAFETY GLASSES OR GOGGLES

Physical/Chemical Properties

Boiling Point: =148.9C, 300.F
Vapor Pres: LESS THAN 5MM AT 80 F
Spec Gravity: 1.1 AT 80 F
VOC Grams/Liter: 91
Solubility in Water: SLIGHT
Appearance and Odor: GREEN LIQUID MILD.

Reactivity Data

Stability Indicator: YES
Hazardous Decomposition
Products: IRRITATING ORGANIC VAPORS; OXIDES OF CARBON
AND NITROGEN; TOXIC FUMES.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: WILL NOT OCCUR.

HAZCOM Label

Product ID: RETAINING COMPOUND 620 HIGH TEMPERATURE
Cage: 05972
Company Name: LOCTITE CORPORATION
Street: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT
Zipcode: 06067-3910
Health Emergency Phone: 860-571-5100
Label Required IND: Y
Date Of Label Review: 12/04/2001
Status Code: A
Origination Code: G
Hazard And Precautions: EYE IRRITANT. THE HYDROXYALKYL METHACRYLATE IS A
POSSIBLE INHALATION IRRITANT AND MAY BE HARMFUL IF SWALLOWED. IT MAY CAUSE
KIDNEY OR LIVER DAMAGE. SKIN. EYE CONTACT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defen

se.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should

seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.