View NSN Online: https://aerobasegroup.com/nsn/8030-00-560-8758

PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY -- PR1750 B-1/2, 1750B10 BASE COMPOUND -- 8030-00-560-8758

Product ID:PR1750 B-1/2, 1750B10 BASE COMPOUND

MSDS Date:08/19/1997

FSC:8030

NIIN:00-560-8758 Status Code:A

Kit Part:Y

MSDS Number: CLRRH === Responsible Party ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:(800)424-9300 Preparer's Name:HENRY SIMMONS Chemtrec Ind/Phone:(800)424-9300

CAGE:83574

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

======= Composition/Information on Ingredients ========

Ingred Name:

NATURAL CALCIUM CARBONATE CAS:1317-65-3 RTECS #:EV9580000 = Wt:30.OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3 Ingred Name:TITANIUM DIOXIDE CAS:13463-67-7 RTECS #:XR2275000 < Wt:5. OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3 Ingred Name: TOLUENE CAS:108-88-3 RTECS #:XS5250000 < Wt:1. **OSHA PEL:SEE TABLE Z-2** ACGIH TLV:188 MG/M3;50 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS ========== Hazards Identification ================ Effects of Overexposure: TOLUENE EYES: MAY CAUSE BURNING, T **EARING AND** REDDENING. SKIN: PROLONGED EXPOSURE MAY CAUSE DRYING AND CRACKING OF SKIN, AND POSSIBLE DERMATITIS, INHALATION: MAY CAUSE DIZZINESS. DROWSINESS AND FATIGU E. MAY CAUSE LIVER AND KIDNEY DAMAGE. INGESTION: MAY CAUSE DROWSINESS, DIZZINESS AND NAUSEA. EFFECTS OF LONG TERM (CHRONIC) EXPOSURE MAY CAUSE DISTURBANCE IN MEMORY. THINKING ABILITY, EMOTIONS AND COO RDINATION. THIS CHEMICAL IS ON THE LIST ENTITLED ?CHEMICALS KNOWN BY THE STATE OF CALIFORNIA TO CAUSE REPRODUCTIVE TOXICITY?.

First Aid:EYES: FLUSH WITH WARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSISTS, CONSULT A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSISTS, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT, CONSULT A PHYSICIAN INGESTION: DRINK LARGE AMOUNTS OF WATER; INDUCE VOMITING; CONSULT A PHYSICIAN.

========== Fire Fighting Measures ==

Flash Point:>93.3C, 200.F Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures =========
Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH A SUITABLE SOLVENT.
============ Handling and Storage =============
Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLIN G AND BEFORE SMOKING OR EATING. AVOID INGESTION.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NONE Ventilation:GENERAL VENTILATION Protective Gloves:SOLVENT RESISTANT GLOVES. Eye Protection:SAFETY GLASSES Other Protective Equipment:NONE KNOWN Supplemental Safety and Health
======== Physical/Chemical Properties =========
Boiling Pt:=110.C, 230.F B.P. Text:230-482F Spec Gravity:3.71 Evaporation Rate & Amp; Reference:< THEN N -BUTYL ACETATE Appearance and Odor:BEIGE THIXOTROPIC PASTE Percent Volatiles by Volume:3.1%
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NOT KNOWN Stability Condition to Avoid:EASILY OXIDIZABLE MATERIALS Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN, MANGANESE COMPOUNDS.
======= Disposal Considerations ==========
Wests Disposal Methodo:NOT A HAZADDOUS WASTE ACCORDING TO EDA

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA REG

ULATION. CONSULT STATE REGULATIONS PRIOR TO DISPOSA	L OF
SPILLAGE.	

=========== Other Information ===============================

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.