

ORGANIC PRODUCTS CO. -- F-900 TORQUE SEAL (GREEN) -- 8030-00-408-1137

=====
Product Identification
=====

Product ID:F-900 TORQUE SEAL (GREEN)

MSDS Date:01/04/1998

FSC:8030

NIIN:00-408-1137

Status Code:A

MSDS Number: CLRRR

=== Responsible Party ===

Company Name:ORGANIC PRODUCTS CO.

Address:1963 E. IRVING BOULEVARD

Box:428

City:IRVING

State:TX

ZIP:75060-4555

Country:US

Info Phone Num:214-438-7321

E

mergency Phone Num:972-438-7321

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:01195

=== Contractor Identification ===

Company Name:ORGANIC PRODUCTS CO.

Address:1963 E. IRVING BOULEVARD

Box:428

City:IRVING

State:TX

ZIP:75060-4555

Country:US

Phone:214-438-7321

CAGE:01195

=====
Composition/Information on Ingredients
=====

Ingred Name:METHANOL

CAS:67-56-1

RTECS #:PC1400000

Minimum % Wt:30.

Maxumum % Wt:60.

OSHA PEL:260 MG/M3;200 PPM

ACGIH TLV:262 MG/M3;200 P

PM
ACGIH STEL:328 MG/M3;250 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingrid Name:ETHANOL
CAS:64-17-5
RTECS #:KQ6300000
Minumum % Wt:10.
Maxumum % Wt:40.
OSHA PEL:1900 MG/M3;1000 PPM
ACGIH TLV:1880 MG/M3;1000 PPM

=====
===== Hazards Identification =====
=====

Effects of Overexposure:MINOR IRRITATION FROM PROLONGED BREATHING.
MINOR IRRITATION TO SKIN AND EYES.
NAUSEA, VOMITING OF SWALLOWED.

=====
===== First Aid Measures =====
=====

Fir
st Aid:REMOVE TO FRESH AIR. WASH AFFECTED AREAS WITH WATER. IF
SWALLOWED, INDUCE VOMITING.
CALL PHYSICIAN.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:TOC
Flash Point:=42.8C, 109.F
Extinguishing Media:CARBON DIOXIDE OR DRY CHEMICAL FOR SMALL FIRES,
ALCOHOL FOAM FOR LARGE FIRE.
Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS WITH
FULL FACE PIECE WITH PRESSURE DEMAND.
Unusual Fire/Explosion Hazard:VAPOR HEAVIER THAN AIR, KEE
P AWAY FROM
PILOT LIGHT, LIGHTS, FLAMES, SPARKS, HEATERS, SMOKERS.

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:ABSORB LIQUID; USE ABSORBENT MATERIAL AND
TRANSFER TO HOOD. ELIMINATE ALL IGNITION
SOURCES DESTROY REMAINING MATERIAL BY INCINERATION.

=====
===== Handling and Storage =====
=====

Handling and Storage Precautions:WEAR RESISTANT GLOVES SUCH AS
NEOPRENE, EYE PROTECTION, CHEMICAL SPLASH GOGGLES,
PROTECT

IVE EQUIPMENT TO PREVENT PROLONGED SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST MECHANICAL (GENERAL)

Protective Gloves:YES; NEOPRENE

Eye Protection:SAFETY GOGGLES.

Other Protective Equipment:SAFETY SHOWER AND EYE BATH.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:=65.6C, 150.F

Vapor Pres:42.00

Solubility in Water:NONE

Appearance and Odor:HEAVY THICK PASTE. ALCOHOL
ODOR.

Percent Volatiles by Volume:50%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NOT KNOWN.

Stability Condition to Avoid:AVOID HEAT, SPARKS, FIRES.

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PRODUCE
CARBON MONOXIDE AND/OR CARBON DIOXIDE.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN FURNACE, OR BY
LIQUID

INCINERATION. DEPOSIT IN TOXIC LANDFILL IN
ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional a

advice to verify and
assume responsibility for the suitability of this information to their
particular situation.