## NSN 1010-00-909-5196

Firing Pin - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/1010-00-909-5196

Casehardening Indicator:
Not casehardened
Overall Length:
Between 0.650 inches and 0.660 inches
Metallic Hardness Rating:
71.5 rockwell a and 73.5 rockwell a
Striking End Diameter:
Between 0.091 inches and 0.093 inches
Striking End Radius:
Between 0.050 inches and 0.060 inches
Firing Pin Type:
Multiple shoulder
Striking End Type:
Spherical
Special Features:
16 microinch aa finish on striking end surfaces
Material:
Steel, qq-s-624, fs6150-canceled
Material:
Steel comp 6150
Steel comp 6150  Material Specification:
Material Specification:
Material Specification:  Qq-s-624, fs6150-canceled federal specification single material response
Material Specification:  Qq-s-624, fs6150-canceled federal specification single material response  Surface Treatment:
Material Specification:  Qq-s-624, fs6150-canceled federal specification single material response  Surface Treatment:  Chromium
Material Specification: Qq-s-624, fs6150-canceled federal specification single material response Surface Treatment: Chromium Surface Treatment:
Material Specification: Qq-s-624, fs6150-canceled federal specification single material response Surface Treatment: Chromium Surface Treatment: Chromium plated
Material Specification:  Qq-s-624, fs6150-canceled federal specification single material response  Surface Treatment:  Chromium  Surface Treatment:  Chromium plated  Fsc Application Data:
Material Specification: Qq-s-624, fs6150-canceled federal specification single material response Surface Treatment: Chromium Surface Treatment: Chromium plated Fsc Application Data: Launcher, grenade, 40mm
Material Specification:  Qq-s-624, fs6150-canceled federal specification single material response  Surface Treatment:  Chromium  Surface Treatment:  Chromium plated  Fsc Application Data:  Launcher, grenade, 40mm  Shelf Life:
Material Specification:  Qq-s-624, fs6150-canceled federal specification single material response  Surface Treatment:  Chromium  Surface Treatment:  Chromium plated  Fsc Application Data:  Launcher, grenade, 40mm  Shelf Life:  N/a
Material Specification:  Qq-s-624, fs6150-canceled federal specification single material response  Surface Treatment:  Chromium  Surface Treatment:  Chromium plated  Fsc Application Data:  Launcher, grenade, 40mm  Shelf Life:  N/a
Material Specification:  Qq-s-624, fs6150-canceled federal specification single material response  Surface Treatment: Chromium  Surface Treatment: Chromium plated  Fsc Application Data: Launcher, grenade, 40mm  Shelf Life: N/a  Unit Of Measure:
Material Specification:  Qq-s-624, fs6150-canceled federal specification single material response  Surface Treatment: Chromium  Surface Treatment: Chromium plated  Fsc Application Data: Launcher, grenade, 40mm  Shelf Life: N/a  Unit Of Measure:  Demilitarization:
Material Specification:  Qq-s-624, fs6150-canceled federal specification single material response  Surface Treatment: Chromium  Surface Treatment: Chromium plated  Fsc Application Data: Launcher, grenade, 40mm  Shelf Life: N/a  Unit Of Measure:  Demilitarization: Yes - demil/mli