

View Online at <https://aerobasegroup.com/nsn/1240-00-115-4456>

Shoulder Diameter:

Between 1.948 inches and 1.953 inches

Shoulder Length:

0.312 inches

Hole Diameter:

Between 1.690 inches and 1.700 inches

Width:

Between 0.060 inches and 0.070 inches

Overall Length:

Between 0.678 inches and 0.698 inches

Hole Or Slot Quantity:

2

Depth:

Between 0.060 inches and 0.070 inches

Drive Type:

Slotted

Drive Facility Angular Spacing In Deg:

180.0

Internal Annular Serration:

Not provided

Setscrew Notch:

Not provided

Flange Thread Size:

2.000 in.-32uns-2a

Special Features:

Shoulder projecting from flange end, 1.771 in. Max. Shoulder dia. And 0.055 in. Min. Shoulder lg.

Material:

Steel, qq-s-764, type 303, cond a-canceled or steel, qq-s-764, type 303se, cond a-canceled

Material:

Steel comp 303 or steel comp 303se

Material Specification:

Qq-s-764, type 303, cond a-canceled federal specification 1st material response and qq-s-764, type 303se, cond a-canceled federal specification 2nd material response

Surface Treatment:

Oxide

Style Designator:

Shouldered

Surface Treatment:

Black oxide, mil-c-13924, class 4

Fsc Application Data:

Telescope, elbow m118

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T271-k