

View Online at <https://aerobasegroup.com/nsn/1240-00-315-0018>

Shoulder Length:

0.500 inches

Hole Diameter:

Between 2.490 inches and 2.510 inches

Width:

0.120 inches

Overall Length:

Between 1.050 inches and 1.070 inches

Hole Or Slot Quantity:

2

Depth:

0.120 inches

Drive Type:

Slotted

Drive Facility Angular Spacing In Deg:

180.0

Internal Annular Serration:

Not provided

Setscrew Notch:

Not provided

Flange Thread Size:

3.125 in.-32 ns-3

Shoulder Thread Size:

2.875 in.-32 ns-3

Material:

Brass, qq-b-613, comp 11, 1/2h

Material:

Copper alloy 260 or copper alloy 262 or copper alloy 268 or copper alloy 270 or copper alloy 272 or copper alloy 274 or copper alloy 280 or copper alloy 330 or copper alloy 331 or copper alloy 332 or copper alloy 335 or copper alloy 340 or copper alloy 342 or copper alloy 344 or copper alloy 345 or copper alloy 347 or copper alloy 348 or copper alloy 350 or copper alloy 353 or copper alloy 356 or copper alloy 360 or copper alloy 370

Material Specification:

Qq-b-613, comp 11, 1/2h federal specification single material response

Surface Treatment:

Nickel

Style Designator:

Shouldered

Surface Treatment:

Black nickel plate

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T271-k