

View Online at <https://aerobasegroup.com/nsn/1240-00-768-8727>

**Overall Length:**

0.575 inches

**End Application:**

2350-00-678-5773

**Eccentric Construction:**

Not provided

**Chamfer Location:**

Both ends

**Special Features:**

2.090 in. Flange dia; 1.781 in. First shoulder dia; 1.761 in.-48ns-2a thread; 1.726 in. Shoulder end dia; 0.125 in. Flange thk; 0.140 in. First shoulder lg; 0.187 in. Thread lg; 0.063 in. Wide undercut between thread and first shoulder; 1.572 in.-48ns-2b bore thread; 0.390 in. Bore thread lg; counterbore 1.581 in. By 0.060 in. Deep on shoulder end; one slot 0.063 in. W. By 0.050 in. Deep on face of shoulder end; 0.030 to 0.034 in. Bore eccentricity from geometric axis; 250 microinch finish except 125 microinch finish on first shoulder and inside face of flange; all edges chamfered 0.010 in. Max. By 45 deg

**Material:**

Aluminum alloy, qq-a-225/3, alloy 2011, t3 or aluminum alloy, qq-a-200/8, 6061, t6

**Material:**

Aluminum alloy 2011 or aluminum alloy 6061

**Surface Treatment:**

Anodized, mil-a-8625, type 1, class 2

**Fsc Application Data:**

Periscope, tank

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

T271-j