NSN 1240-01-287-6399

Diopter Scale - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/1240-01-287-6399

Inside Diameter: 1.3120 inches Overall Height: 0.360 inches Scale Division Quantity: 100 Overall Outside Diameter: 1.380 inches Scale Unit Of Measure Inscription: 10 graduations from "10" to "90" Material: Aluminum alloy, qq-a-200/3, alloy 2024, t4 or aluminum alloy, qq-a-200/8, 6061, t6 or aluminum alloy, ww-t-700/3, t3 Material: Aluminum alloy 2024 or aluminum alloy 6061 or aluminum alloy 2024 Material Specification: Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response	
Overall Height: 0.360 inches Scale Division Quantity: 100 Overall Outside Diameter: 1.380 inches Scale Unit Of Measure Inscription: 10 graduations from "10" to "90" Material: Aluminum alloy, qq-a-200/3, alloy 2024, t4 or aluminum alloy, qq-a-200/8, 6061, t6 or aluminum alloy, ww-t-700/3, t3 Material: Aluminum alloy 2024 or aluminum alloy 6061 or aluminum alloy 2024 Material Specification: Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response 2nd qq-a-200/8, 6061, t6 federal specification 2nd material response 2nd qq-a-200/8, 6061, t6 federal specification 2nd material response 2nd qq-a-200/8, 6061, t6 federal specification 2nd material response 2nd qq-a-200/8, 6061, t6 federal specification 2nd material response 2nd qq-a-200/8, 6061, t6 federal specification 2nd material	
0.360 inches Scale Division Quantity: 100 Overall Outside Diameter: 1.380 inches Scale Unit Of Measure Inscription: 10 graduations from "10" to "90" Material: Aluminum alloy, qq-a-200/3, alloy 2024, t4 or aluminum alloy, qq-a-200/8, 6061, t6 or aluminum alloy, ww-t-700/3, t3 Material: Aluminum alloy 2024 or aluminum alloy 6061 or aluminum alloy 2024 Material Specification: Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response	
Scale Division Quantity: 100 Overall Outside Diameter: 1.380 inches Scale Unit Of Measure Inscription: 10 graduations from "10" to "90" Material: Aluminum alloy, qq-a-200/3, alloy 2024, t4 or aluminum alloy, qq-a-200/8, 6061, t6 or aluminum alloy, ww-t-700/3, t3 Material: Aluminum alloy 2024 or aluminum alloy 6061 or aluminum alloy 2024 Material Specification: Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response 200/8, 6061, 6	
Overall Outside Diameter: 1.380 inches Scale Unit Of Measure Inscription: 10 graduations from "10" to "90" Material: Aluminum alloy, qq-a-200/3, alloy 2024, t4 or aluminum alloy, qq-a-200/8, 6061, t6 or aluminum alloy, ww-t-700/3, t3 Material: Aluminum alloy 2024 or aluminum alloy 6061 or aluminum alloy 2024 Material Specification: Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response 200/8, 6061, t6 federal specification 2nd material response 200/8, 6061, t6 federal specification 2nd material response 200/8, 6061, 60	
Overall Outside Diameter: 1.380 inches Scale Unit Of Measure Inscription: 10 graduations from "10" to "90" Material: Aluminum alloy, qq-a-200/3, alloy 2024, t4 or aluminum alloy, qq-a-200/8, 6061, t6 or aluminum alloy, ww-t-700/3, t3 Material: Aluminum alloy 2024 or aluminum alloy 6061 or aluminum alloy 2024 Material Specification: Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response 200/8, 6061, t6 federal specification 2nd material 200/8, 6061, t6 federal specification 2	
1.380 inches Scale Unit Of Measure Inscription: 10 graduations from "10" to "90" Material: Aluminum alloy, qq-a-200/3, alloy 2024, t4 or aluminum alloy, qq-a-200/8, 6061, t6 or aluminum alloy, ww-t-700/3, t3 Material: Aluminum alloy 2024 or aluminum alloy 6061 or aluminum alloy 2024 Material Specification: Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material quality 4nd quality 4nd quality 4nd quality 4nd quality 4nd quality 4nd quality 4	
Scale Unit Of Measure Inscription: 10 graduations from "10" to "90" Material: Aluminum alloy, qq-a-200/3, alloy 2024, t4 or aluminum alloy, qq-a-200/8, 6061, t6 or aluminum alloy, ww-t-700/3, t3 Material: Aluminum alloy 2024 or aluminum alloy 6061 or aluminum alloy 2024 Material Specification: Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response	
Material: Aluminum alloy, qq-a-200/3, alloy 2024, t4 or aluminum alloy, qq-a-200/8, 6061, t6 or aluminum alloy, ww-t-700/3, t3 Material: Aluminum alloy 2024 or aluminum alloy 6061 or aluminum alloy 2024 Material Specification: Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response	
Material: Aluminum alloy, qq-a-200/3, alloy 2024, t4 or aluminum alloy, qq-a-200/8, 6061, t6 or aluminum alloy, ww-t-700/3, t3 Material: Aluminum alloy 2024 or aluminum alloy 6061 or aluminum alloy 2024 Material Specification: Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response.	
Aluminum alloy, qq-a-200/3, alloy 2024, t4 or aluminum alloy, qq-a-200/8, 6061, t6 or aluminum alloy, ww-t-700/3, t3 Material: Aluminum alloy 2024 or aluminum alloy 6061 or aluminum alloy 2024 Material Specification: Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response.	
Material: Aluminum alloy 2024 or aluminum alloy 6061 or aluminum alloy 2024 Material Specification: Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd qq-a-200/8, 6061, qq-a-200/8, 6061, qq-a-200/8, qq-a-200/8	
Aluminum alloy 2024 or aluminum alloy 6061 or aluminum alloy 2024 Material Specification: Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd qq-a-200/8, federal specification 2nd qq-a-200/8, federal specification 2nd qq-a-200/8, federal specification 2nd qq-a-200/8,	
Material Specification: Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, federal specification 2nd qq-a-200/8, federal specification 2nd qq-a-200/8, federal specification 2nd qq-a-200/8, federal specification 2nd	
Qq-a-200/3, alloy 2024, t4 federal specification 1st material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061, t6 federal specification 2nd material response and qq-a-200/8, 6061,	
and ww-t-700/3, t3 federal specification 3rd material response	ponse
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
Yes - demil/mli	
Fiig:	
T275-a	