NSN 1377-00-779-0035

Delay Cartridge - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/1377-00-779-0035

| Thread Class: |
|--------------------------------------|
| 2a thd |
| Terminal Type: |
| Contact pin |
| Width Across Flats: |
| 1.312 inches |
| Overall Length: |
| 1.660 inches |
| Thread Size: |
| 1-1/8 /1.125/ in-12 |
| Case Material: |
| Steel |
| Cartridge Model Number: |
| Mk 31 mod 0 |
| Detonation Initiation Method: |
| Electric |
| Package Model Number: |
| Not assigned and not assigned |
| Connection Facility Thread Class: |
| 2a thd |
| Current Rating In Amps: |
| 15.000 |
| Connection Thread Size: |
| 1 /1.000/in-20 |
| Wrenching Facility: |
| Included |
| Delay Time In Seconds: |
| 1.250 |
| Integral Cutting Punch: |
| Not included |
| Case Mounting Thread: |
| Included |
| Mounting Thread Series: |
| Unf |
| Case Threaded Electrical Connection: |
| Included |
| Connection Thread Series: |
| Unef |
| Color Coded Feature: |
| Not included |
| Rim: |
| Not included |

NSN 1377-00-779-0035

Delay Cartridge - Page 2 of 2



Charged End Diameter:

1.125 inches

Delay Element Material:

Manganese, jan-m-476

Dod Ammunition Code:

1377-m406

Voltage In Volts:

20.000

Reference Number Differentiating Characteristics:

As differentiated by unit packagequantity, unit packag type, package model number

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

T190-a