NSN 1430-00-996-0689

Control-indicator - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/1430-00-996-0689

Connector Manufacturer Part Number: 7599367 Maximum Voltage Rating In Volts: 120.0 ac and 250.0 dc Inclosure Type: Encased Terminal Location: Back Power Source: External Mounting Method: Rack Terminal Type And Quantity: 1 pin and 2 connector, receptacle and 8 threaded stud Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
Maximum Voltage Rating In Volts: 120.0 ac and 250.0 dc Inclosure Type: Encased Terminal Location: Back Power Source: External Mounting Method: Rack Terminal Type And Quantity: 1 pin and 2 connector, receptacle and 8 threaded stud Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
Maximum Voltage Rating In Volts: 120.0 ac and 250.0 dc Inclosure Type: Encased Terminal Location: Back Power Source: External Mounting Method: Rack Terminal Type And Quantity: 1 pin and 2 connector, receptacle and 8 threaded stud Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
120.0 ac and 250.0 dc Inclosure Type: Encased Terminal Location: Back Power Source: External Mounting Method: Rack Terminal Type And Quantity: 1 pin and 2 connector, receptacle and 8 threaded stud Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
Inclosure Type: Encased Terminal Location: Back Power Source: External Mounting Method: Rack Terminal Type And Quantity: 1 pin and 2 connector, receptacle and 8 threaded stud Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
Encased Terminal Location: Back Power Source: External Mounting Method: Rack Terminal Type And Quantity: 1 pin and 2 connector, receptacle and 8 threaded stud Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
Terminal Location: Back Power Source: External Mounting Method: Rack Terminal Type And Quantity: 1 pin and 2 connector, receptacle and 8 threaded stud Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
Back Power Source: External Mounting Method: Rack Terminal Type And Quantity: 1 pin and 2 connector, receptacle and 8 threaded stud Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
Power Source: External Mounting Method: Rack Terminal Type And Quantity: 1 pin and 2 connector, receptacle and 8 threaded stud Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
External Mounting Method: Rack Terminal Type And Quantity: 1 pin and 2 connector, receptacle and 8 threaded stud Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
Mounting Method: Rack Terminal Type And Quantity: 1 pin and 2 connector, receptacle and 8 threaded stud Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
Rack Terminal Type And Quantity: 1 pin and 2 connector, receptacle and 8 threaded stud Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
Terminal Type And Quantity: 1 pin and 2 connector, receptacle and 8 threaded stud Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
1 pin and 2 connector, receptacle and 8 threaded stud Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
Maximumlength: 22.125 inches Maximumwidth: 14.719 inches Maximumheight:
22.125 inches Maximumwidth: 14.719 inches Maximumheight:
Maximumwidth: 14.719 inches Maximumheight:
14.719 inches Maximumheight:
Maximumheight:
C 107 inches
6.187 inches
Phase:
Three
Frequency In Hertz:
400.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A31700