

View Online at <https://aerobasegroup.com/nsn/1615-00-898-1685>

Inside Diameter:

Between 6.890 inches and 6.950 inches

Chamfer Angle In Deg:

45.0

Chamfer Length:

Between 0.050 inches and 0.070 inches

Outside Diameter:

Between 8.652 inches and 8.662 inches

Taper Length:

0.390 inches

Material Thickness:

Between 0.030 inches and 0.050 inches

Body Length:

0.770 inches

Special Features:

Id grooved 0.088 in. W by 7.126 in. Dia

Material:

Steel, mil-s-6758, cond c2 or steel, mil-s-6758, cond d1 or steel, mil-t-6736, comp 4130, type 1, cond n or steel, mil-s-18729, comp 4130

Material:

Steel comp 4130 or steel comp 4130 or steel comp 4130 or steel comp 4130

Material Specification:

Mil-s-6758, cond c2 military specification 1st material response and mil-s-6758, cond d1 military specification 2nd material response and mil-t-6736, comp 4130, type 1, cond n military specification 3rd material response and mil-s-18729, comp 4130 military specification 4th material response

Surface Treatment:

Oxide

Style Designator:

Round, flanged

Surface Treatment:

Black oxide bps fw 4084 97499

Test Data Document:

81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Fsc Application Data:

Transmission, helicopter

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A23700