

View Online at <https://aerobasegroup.com/nsn/1630-00-056-2329>

Body Material:

Aluminum alloy, qq-a-596, alloy 356, t6

First End Outside Diameter:

Unable to decode

Mounting Provision:

Pin

Tempurature Rating:

275.0 degrees fahrenheit

Mounting Facility Length:

1.440 inches

Bore Diameter:

1.520 inches

Body Outside Diameter:

1.840 inches

Overall Diameter:

1.940 inches

Actuation Method:

Direct

Seat Angle In Deg:

45.0

First End Hole Diameter:

Unable to decode

First End Thickness At Mounting Holes:

Unable to decode

Compressed Length:

11.500 inches

Extended Length:

13.000 inches

Reservoir Type:

Remote

Straight Bore Inside Diameter:

Between 1.188 inches and 1.520 inches

First Piston Rod End Style:

Bearing type

Mounting Type And Location:

Tongue cylinder head end

Mounting Facility Diameter:

0.2500 inches

Port Location And Quantity:

2 center section

Port Style:

Gasket seal

Port Thread Series Designator:

Unf

Port Thread Diameter:

0.438 inches

Port Thready Qty Per Inch (tpi):

20

Port Thread Class:

3b

Bleeding Feature Quantity:

1

Test Data Document:

77272-114hs105 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Reference Number Differentiating Characteristics:

As differentiated by source control dwg no. 114hs105 fscm 77272

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A34200