## NSN 1650-00-108-5616

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/1650-00-108-5616

Mounting Type:
Unthreaded hole head
Mounting Hole Diameter:
Between 0.261 inches and 0.271 inches
Mounting Hole Quantity:
2
Body Length:
4.187 inches
Body Outside Diameter:
2.500 inches
Body Width:
Between 3.012 inches and 3.124 inches
Body Height:
11.465 inches
Filtration Rating In Microns:
15.0
Drop Pressure:
Not rated
Differential Pressure:
Not rated
Distance Between Mounting Hole Centers:
Between 2.095 inches and 2.105 inches
Design Type:
Reusable
Features Provided:
By-pass valve
Filtering Element Quantity:
1
Maximum Operating Pressure:
3000.0 pounds per square inch
First Intake Connection Type:
Threaded internal tube head side
First Discharge Connection Relationship To Intake Connection:
Identical to first intake connection
First Intake Thread Series Designator:
Un
First Intake Thread Size:
1.312 inches
First Intake Thready Qty Per Inch (tpi):
12
First Intake Thread Class:

3b

## NSN 1650-00-108-5616

Fluid Filter - Page 2 of 2



First Intake Thread Direction:
Right-hand
Filtering System For Which Designed:
By-pass flow
Material:
Stainless steel filtering medium
Style Designator:
Err-090
Fsc Application Data:
Aircraft hydraulic system
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

**Fiig:** A24000