## NSN 1650-00-124-7070

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/1650-00-124-7070 **Body Material:** Steel First End Outside Diameter: 1.062 inches **Mounting Provision:** Unthreaded mounting holes **Tempurature Rating:** Not rated **Bore Diameter:** 2.408 inches **Body Outside Diameter:** 2.500 inches **Overall Diameter:** 3.000 inches Seat Angle In Deg: 90.0 First End Hole Diameter: 0.377 inches First End Thickness At Mounting Holes: 1.000 inches **Compressed Length:** 15.968 inches **Extended Length:** 25.062 inches **Mounting Provision Arrangement Style:** Two hole **Pressure Rating:** Not rated **Integral Valve Operation Method:** Mechanical **Design Characteristics:** Single acting single cylinder First Piston Rod End Style: Ring type **Mounting Type And Location:** Tongue cylinder head end **Mounting Facility Diameter:** 0.500 inches **Center To Center Distance Between Mounting Provisions:** 14.812 inches **Port Location And Quantity:** 

1 piston rod end

## NSN 1650-00-124-7070

Linear Actuating Cylinder Assembly - Page 2 of 2



Port Style:
Gasket seal
Port Thread Series Designator:
Npt
Port Pipe Thread Size:
0.250 inches
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A34200