NSN 1650-00-152-7204

Linear Actuating Cylinder Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/1650-00-152-7204

T	em	nu	ıratı	ure	Ra	tin	u.
		νu	II au	ui C	I\a		u.

-65.0 degrees fahrenheit and 160.0 degrees fahrenheit

Bore Diameter:

Between 1.562 inches and 1.564 inches

Seat Angle In Deg:

120.0 all ports

First End Hole Diameter:

0.375 inches and 0.376 inches all working ends

First End Thickness At Mounting Holes:

0.730 inches all working ends

Pressure Rating:

3000.0 pounds per square inch

Design Characteristics:

Double acting single cylinder

First Piston Rod End Style:

Bearing type all working ends

Mounting Type And Location:

Trunnion cylinder head end

Port Location And Quantity:

1 cylinder head end and 1 piston rod end

Port Style:

Gasket seal all ports

Port Thread Series Designator:

Unf all ports

Port Thread Diameter:

0.250 inches all ports

Port Thready Qty Per Inch (tpi):

20 all ports

Port Thread Class:

3b all ports

Fsc Application Data:

Aircraft hydraulic system

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A34200