## NSN 1650-00-393-5042



Hydraulic Motor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/1650-00-393-5042 **Thread Direction:** Right-hand **Torque Load Rating:** 500.0 inch-pounds **Spline Major Diameter:** 0.750 inches **Spline Quantity:** 11 **Thread Size:** 0.875-14 and 0.875-14 and 0.562-18 **Operating Speed At Rated Capacity In Rpm:** 5100.0 **Drive Shaft Type:** Splined, involute internal **Screw Thread Series Designator:** Unf **Shaft Rotation Direction:** Clockwise and counterclockwise **Thread Location:** Internal Spline Pitch: 16/32 **Connection Quantity:** 1 and 1 and 1 **Connection Type:** Outlet **Maximum Working Pressure Rating At Specificationified Tempurature Range:** 3000psi at minus 65 degrees f to plus 275 degrees f **Connection Design:** Threaded Spline Pressure Angle In Deg: **Displacement Type:** Constant **Constant Displacement Per Revolution:** 1.257 cubic inches **Fsc Application Data:** Aircraft hyd system Shelf Life:

\_\_

N/a

**Unit Of Measure:** 

## NSN 1650-00-393-5042

Hydraulic Motor - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

T103-f