## NSN 1650-00-738-6276

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/1650-00-738-6276 **Mounting Provision:** Unthreaded mounting holes **Tempurature Rating:** 275.0 degrees fahrenheit Seat Angle In Deg: 45.0 **Compressed Length:** 13.053 inches **Extended Length:** 13.907 inches **Mounting Provision Arrangement Style:** Two hole **Pressure Rating:** 3000.0 pounds per square inch **Integral Valve Operation Method:** Hydraulic **Design Characteristics:** Double acting single cylinder First Piston Rod End Style: Bearing type **Mounting Type And Location:** Fork cylinder head end **Mounting Facility Diameter:** 0.190 inches **Center To Center Distance Between Mounting Provisions:** 0.298 inches **Port Location And Quantity:** 2 piston rod end Port Style: Gasket seal **Port Thread Series Designator: Port Thread Diameter:** 0.437 inches Port Thready Qty Per Inch (tpi): 20 **Port Thread Class:** 3b **Fsc Application Data:** 

Aircraft hyd system Shelf Life:

N/a

## NSN 1650-00-738-6276

Linear Actuating Cylinder Assembly - Page 2 of 2



**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A34200