## NSN 1650-00-858-4601

Fluid Filter Element - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/1650-00-858-4601

| View Online at https://aerobasegroup.com/nsn/1650-00-858-4601 |
|---|
| Filtration Rating In Microns:                                 |
| 33.0 absolute and 10.0  |
| Flow Direction:   |
| Inside out  |
| Drop Pressure:  |
| 75.0 pounds per square inch                                   |
| Smallest Outside Diameter:                                    |
| Between 0.470 inches and 0.490 inches                         |
| Largest Outside Diameter:                                     |
| Between 0.622 inches and 0.624 inches                         |
| Design Type:  |
| Reusable  |
| Tempurature Rating:   |
| Between -65.0 degrees fahrenheit and 350.0 degrees fahrenheit |
| Bodylength:   |
| Between 1.390 inches and 1.410 inches                         |
| Features Provided:  |
| By-pass valve   |
| Filtering Media Design:                                       |
| Spiral wound single filtering media response                  |
| Material:   |
| Stainless steel filtering medium                              |
| Media For Which Designed:                                     |
| Fuel/oil, hydrocarbon   |
| Style Designator:   |
| Conical w/out container                                       |
| Fsc Application Data:   |
| Hydraulic system, aircraft                                    |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| Yes - demil/mli   |
| Fiig:   |
| A24000  |
|   |