NSN 1650-01-060-5133

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/1650-01-060-5133 **Body Material:** Aluminum alloy, mil-a-22771, alloy 7075, t73 **Mounting Provision:** Threaded mounting holes **Tempurature Rating:** 160.0 degrees fahrenheit **Overall Height:** 13.666 inches **Mounting Facility Thread Class: Mounting Facility Thread Direction:** Right-hand Compressed Length: 17.430 inches **Extended Length:** 21.130 inches **Mounting Provision Arrangement Style:** Two hole **Pressure Rating:** 3000.0 pounds per square inch **Mounting Facility Thread Series Designator:** Unf **Mounting Facility Thread Diameter:** 0.250 inches Mounting Facility Thready Qty Per Inch (tpi): 28 **Design Characteristics:** Double acting twin cylinder First Piston Rod End Style: Ring type Piston Rod End Similarity: **Mounting Type And Location:** Trunnion both ends **Mounting Facility Thread Length:** 0.500 inches **Center To Center Distance Between Mounting Provisions:** 0.800 inches **Port Location And Quantity:** 4 piston rod end

Shelf Life:

N/a

NSN 1650-01-060-5133

Linear Actuating Cylinder Assembly - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A34200