NSN 1680-00-303-8604

Thread Class:

Flexible Shaft Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/1680-00-303-8604

2 both ends
Thread Direction:
Right-hand both ends
Thread Length:
0.3125 inches both ends
Overall Length:
20.5625 inches
Flange Thickness:
0.093 inches both ends
Wrenching Facility Outside Diameter:
0.625 inches both ends
Shank Outside Diameter:
0.046 inches both ends
Core Material:
Steel
Screw Thread Series Designator:
Unf both ends
Core Diameter:
0.187 inches
Thread Location:
External both ends
End Type:
Square female both ends
End Connection Type:
Threaded external both ends
Setscrew:
Not included both ends
Casing Material:
Steel
Wrenching Facility Type:
Hexagon both ends
Cross Section Size And Location:
0.265 inches diameter both ends
Machined Feature Size:
0.151in.Square hole
Casing Surface Treatment:
Zinc coated
Casing Length Between Ferrules:
18.000 inches
Casing Outside Diameter:
0.187 inches

NSN 1680-00-303-8604

Flexible Shaft Assembly - Page 2 of 2



Swivel End:
Not provided both ends
Enddiameter:
0.725 inches both ends
Lubrication Fitting:
Not provided both ends
Corelength:
20.375 inches
Core Rotation Direction:
Clockwise or counterclockwise
Core Removability:
Removable
Minimum Operating Radius:
6.000 inches
Fsc Application Data:
Windshield wiper, aircraft
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: T246-e